Product Datasheet

AADACL1 Antibody NB100-93363

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-93363

Updated 1/7/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-93363



NB100-93363

AADACL1 Antibody

Product Information

| Unit Size | 0.1 mg |
|---------------------|--|
| Concentration | 0.5 mg/ml |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.02% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | Tris (pH 7.3), 0.5% BSA |
| Product Description | |
| Host | Goat |
| Gene ID | 57552 |
| Gene Symbol | NCEH1 |
| Species | Human, Mouse, Canine |
| Immunogen | Peptide with sequence C-RTRNSYIKWLDQN corresponding to C-Terminus according to NP_065843.3. |
| Notes | Please note, this antibody is considered Innovators Grade. Innovators Grade antibodies are generally unvalidated and require additional characterization for most new species/applications. Novus has made these antibodies available through our Innovators Reward program. Complete an online review with image, detailing your positive or negative results. In return, you receive a discount voucher for 100% of the purchase price of the reviewed product. Please contact us at innovators@novusbio.com for more details. |

| Product Application Details | |
|------------------------------------|---|
| Applications | Flow Cytometry, Peptide ELISA, Immunofluorescence |
| Recommended Dilutions | Flow Cytometry, Peptide ELISA Detection limit 1:1000, Immunofluorescence |
| Application Notes | WB: Preliminary experiments gave an approx. 26-28 kDa band in human brain (amygdala, cerebellum, hippocampus) lysates after 1 ug/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 49.1 kDa band according to NP_065843.3. The 26-28 kDa band was successfully blocked by incubation with the immunizing peptide. |

Publications

Chiang KP, Niessen S, Saghatelian A, Cravatt BF. An enzyme that regulates ether lipid signaling pathways in cancer annotated by multidimensional profiling. Chem Biol 2006-10-01 [PMID: 17052608]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-93363

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

