

# Product Datasheet

## CIP2A Antibody (2G10) [DyLight 405] NB110-59722V

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB110-59722V](http://www.novusbio.com/NB110-59722V)

Updated 10/1/2017 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB110-59722V](http://www.novusbio.com/reviews/destination/NB110-59722V)



**NB110-59722V**

CIP2A Antibody (2G10) [DyLight 405]

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	2G10
Preservative	0.05% Sodium Azide
Isotype	IgG2b Kappa
Conjugate	DyLight 405
Purity	Protein G purified
Buffer	50mM Sodium Borate

Product Description	
Host	Mouse
Gene ID	57650
Gene Symbol	KIAA1524
Species	Human, Mouse, Rat, Primate
Reactivity Notes	Human, mouse, rat and primate. Other species have not been tested.
Specificity/Sensitivity	p90 autoantigen (2G10)
Immunogen	A synthetic peptide made to a C-terminal portion of the human CIP2A protein. [UniProt# Q8TCG1]
Notes	Dylight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin
Application Notes	This CIP2A antibody is useful for Immunocytochemistry/Immunofluorescence and Western Blot. In ICC/IF, strong cytoplasmic staining is observed in U20s cells. In Western Blot analysis, a band is seen at ~90 kDa representing CIP2A.





### **Novus Biologicals USA**

8100 Southpark Way, A-8  
Littleton, CO 80120  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
novus@novusbio.com

### **Novus Biologicals Canada**

461 North Service Road West, Unit B37  
Oakville, ON L6M 2V5  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada@novusbio.com

### **Novus Biologicals Europe**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: technical@novusbio.com  
Orders: orders@novusbio.com  
General: novus@novusbio.com

### **Products Related to NB110-59722V**

---

NB110-59722G	CIP2A Antibody (2G10) [DyLight 488]
NBP2-48710PEP	CIP2A Recombinant Protein Antigen
NBP2-29323	NFKB p50 (NLS) Inhibitor Peptide Set
NBL1-12266	CIP2A Overexpression Lysate (Native)

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB110-59722V](http://www.novusbio.com/reviews/submit/NB110-59722V)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

