

# Product Datasheet

## FHIT Antibody NB120-15287

Unit Size: 0.5 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB120-15287](http://www.novusbio.com/NB120-15287)

Updated 5/31/2019 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB120-15287](http://www.novusbio.com/reviews/destination/NB120-15287)



**NB120-15287**

FHIT Antibody

| Product Information |  |
|---------------------|--|
| Unit Size           | 0.5 ml   |
| Concentration       | 0.2 mg/ml  |
| Storage             | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality           | Polyclonal   |
| Preservative        | Sodium Azide   |
| Isotype             | IgG  |
| Purity              | Immunogen affinity purified  |
| Buffer              | 10mM PBS (pH 7.4) and BSA  |

| Product Description     |   |
|-------------------------|---|
| Host                    | Rabbit  |
| Gene ID                 | 2272  |
| Gene Symbol             | FHIT  |
| Species                 | Human   |
| Reactivity Notes        | Cross-reacts with Human. Not yet tested in other species. |
| Specificity/Sensitivity | FHIT  |
| Immunogen               | Recombinant full length protein (Human).                  |

| Product Application Details |  |
|-----------------------------|--|
| Applications                | Immunohistochemistry, Immunohistochemistry-Paraffin  |
| Recommended Dilutions       | Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:200   |
| Application Notes           | Immunohistochemistry-Paraffin Perform enzymatic antigen retrieval before commencing with IHC staining protocol, by boiling tissue sections in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at RT for 20 min. |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA

Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
novus@novusbio.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada

Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: technical@novusbio.com  
Orders: orders@novusbio.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB120-15287](http://www.novusbio.com/reviews/submit/NB120-15287)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

