Product Datasheet

Epstein Barr Virus Antibody (CS1, CS2, CS3, CS4) NB120-17085

Unit Size: 0.5 ml

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB120-17085

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB120-17085



NB120-17085


Epstein Barr Virus Antibody (CS1, CS2, CS3, CS4)

Epstein Barr virus Antibody (CS1, CS2, CS3, CS4)	
Product Information	
Unit Size	0.5 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C.
Clonality	Monoclonal
Clone	CS1, CS2, CS3, CS4
Preservative	0.05% Sodium Azide
Isotype	lgG1
Purity	Tissue culture supernatant
Buffer	Tissue culture supernatant
Product Description	
Host	Mouse
Species	Virus
Reactivity Notes	EBV infected cells.
Specificity/Sensitivity	This antibody is specific to 60 kD latent membrane protein (LMP-1) encoded by the BNLF1 gene of EBV. Each clone reacts with different epitopes on the hydrophilic C-terminus of the cytoplasmic domain of LMP-1. This antibody stains strongly with EBV positive lymphoblastoid cell lines and EBV infected B cell immunoblasts in infectious mononucleosis.
Immunogen	Recombinant fusion protein containing sequences of bacterial beta- galactosidase and EBV encoded latent membrane protein.
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100
Application Notes	IHC-P: recommended pretreatment of EDTA buffer, pH 8.0. Recommended

Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100
Application Notes	IHC-P: recommended pretreatment of EDTA buffer, pH 8.0. Recommended incubation time of 30 min at RT.

Images

Immunohistochemistry-Paraffin: Epstein Barr Virus Antibody (CS1, CS2, CS3, CS4) [NB120-17085] - Formalin fixed paraffin embedded, stained with Epstein Barr Virus Antibody (NB120-17085).







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB120-17085

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-17085

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

