# **Product Datasheet**

# AlphaB Crystallin/CRYAB [p Ser45] Antibody - BSA Free NB120-5598

Unit Size: 100ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB120-5598

Updated 5/15/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB120-5598



### NB120-5598

AlphaB Crystallin/CRYAB [p Ser45] Antibody - BSA Free


1 /	,
Product Information	
Unit Size	100ug
Concentration	LYOPH mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Reconstitution Instructions	Reconstitute to desired concentration.
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS
Product Description	

<b>Product Description</b>	
Host	Rabbit
Gene ID	1410
Gene Symbol	CRYAB
Species	Human, Mouse, Rat, Bovine
Specificity/Sensitivity	This does not detect the unphosphorylated form of the protein.
Immunogen	Synthetic phopshopeptide corresponding to residues L(44) S(p) P F Y L R P P S F(54) C of human alpha-B Crystallin.

<b>Product Application Details</b>	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence
Recommended Dilutions	Western Blot 0.5 ug/ml, Immunohistochemistry 1:10 - 1:500, Immunohistochemistry-Paraffin 8 ug/ml, Immunofluorescence 5 ug/ml
Application Notes	WB: Detects an approx. 20 kDa representing recombinant bovine phosphoalpha-B crystallin (Ser45). IF: Staining of phospho-alpha-B crystallin (Ser45) in U373 MG cells results in cytoplasmic staining.

# **Images**

Western Blot: AlphaB Crystallin/CRYAB [p Ser45] Antibody [NB120-5598] - Analysis of recombinant bovine phospho-alpha-B crystallin (Ser45). Lane 1 is phospho-alpha-B crystallin (Ser45) and lane 2 is unphosphorylated alpha-B crystallin.



#### **Publications**

Ueda S, Nishihara M, Hioka Y et al. Polo-Like Kinase 2 Plays an Essential Role in Cytoprotection against MG132-Induced Proteasome Inhibition via Phosphorylation of Serine 19 in HSPB5 International Journal of Molecular Sciences 2022-09-24 [PMID: 36232565] (Western Blot, Immunocytochemistry/ Immunofluorescence)





# **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-5598

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

