

Product Datasheet

Goat anti-Rabbit IgG (H+L) Secondary Antibody [Cy2] (Pre-adsorbed) NB120-6940

Unit Size: 0.1 mg

Store at -20C in the dark. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB120-6940

Updated 9/1/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB120-6940



NB120-6940

Goat anti-Rabbit IgG (H+L) Secondary Antibody [Cy2] (Pre-adsorbed)


Product Information	
Unit Size	0.1 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C in the dark. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Sodium Azide
Isotype	IgG
Conjugate	Cy2
Purity	Immunogen affinity purified
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

Product Description	
Host	Goat
Species	Rabbit
Specificity/Sensitivity	Assay of Goat anti-Rabbit IgG (H+L) Secondary Antibody [Cy2] (Pre-adsorbed) by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat serum, Rabbit IgG and Rabbit serum. No reaction was observed against Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rat and Sheep serum proteins. This antibody was pre-adsorbed against bovine chicken goat guinea pig hamster horse human mouse rat & sheep serum proteins.
Immunogen	This Goat anti-Rabbit IgG (H+L) Secondary Antibody [Cy2] (Pre-adsorbed) was developed against rabbit IgG whole molecule.

Product Application Details	
Applications	Western Blot, ELISA, Fluorophore-linked immunosorbent assay, Flow Cytometry, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot, Flow Cytometry 1:500 - 1:2500, ELISA 1:10000 - 1:50000, Immunocytochemistry/ Immunofluorescence 1:1000-1:5000, Fluorophore-linked immunosorbent assay 1:10000 - 1:50000

Images

Western Blot: Goat anti-Rabbit IgG Secondary Antibody [Cy2] [NB120-6940] - Western blot of CY2 Conjugated Goat Anti-Rabbit IgG Pre-Adsorbed secondary antibody. Lane 1:Rabbit IgG. Lane 2: None. Load: 50 ng per lane. Primary antibody: None. Secondary antibody: CY2 goat secondary antibody at 1:1,000 for 60 min at RT. Blocking: for 30 min at RT. Predicted/Observed size: 25, 55 kDa, 25, 55 kDa for Rabbit IgG. Other band(s): None.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-6940

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

