

# Product Datasheet

## Thyroglobulin Antibody NB120-8555

Unit Size: 0.5 ml

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB120-8555](http://www.novusbio.com/NB120-8555)

Updated 1/22/2019 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB120-8555](http://www.novusbio.com/reviews/destination/NB120-8555)



**NB120-8555**

## Thyroglobulin Antibody

| Product Information  |   |
|----------------------|---|
| <b>Unit Size</b>     | 0.5 ml  |
| <b>Concentration</b> | Please see the vial label for concentration. If unlisted please contact technical services. |
| <b>Storage</b>       | Store at 4C. Do not freeze.   |
| <b>Clonality</b>     | Polyclonal  |
| <b>Preservative</b>  | 0.05% Sodium Azide  |
| <b>Isotype</b>       | IgG   |
| <b>Purity</b>        | IgG purified  |
| <b>Buffer</b>        | PBS with BSA  |

| Product Description            |  |
|--------------------------------|--|
| <b>Host</b>                    | Rabbit   |
| <b>Gene ID</b>                 | 7038   |
| <b>Gene Symbol</b>             | TG   |
| <b>Species</b>                 | Human  |
| <b>Specificity/Sensitivity</b> | This gives a strong and specific staining of normal thyroid tissue and follicular thyroid cancer. This reacts with thyroglobulin in human follicular epithelial cell and colloid tissue. |
| <b>Immunogen</b>               | Full length native protein (purified) (Human).   |

| Product Application Details  |   |
|------------------------------|---|
| <b>Applications</b>          | Immunohistochemistry, Immunohistochemistry-Paraffin   |
| <b>Recommended Dilutions</b> | Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500   |
| <b>Application Notes</b>     | For paraffin-embedded tissue sections, we recommend a dilution of 1:50-1:100. The optimal conditions should be determined by the individual laboratory. This antibody does not require heat mediated antigen retrieval. |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-  
techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB120-8555](http://www.novusbio.com/reviews/submit/NB120-8555)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

