Product Datasheet

RELM beta Antibody - BSA Free NB200-204

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB200-204

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB200-204



NB200-204

RELM beta Antibody - BSA Free

RELIVI Deta Antibody - 65A Free			
Product Information			
Unit Size	0.1 mg		
Concentration	1 mg/ml		
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.		
Clonality	Polyclonal		
Preservative	0.02% Sodium Azide		
Isotype	IgG		
Purity	Immunogen affinity purified		
Buffer	PBS		
Product Description			
Host	Rabbit		
Gene ID	84666		
Gene Symbol	RETNLB		
Species	Mouse		
Reactivity Notes	Mouse		
Specificity/Sensitivity	Reacts with the residues 32-46 of the mouse RELM beta protein.		
Immunogen	Reacts with the residues 32-46 of the mouse RELM beta protein		
Product Application Details			
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation		
Recommended Dilutions	Western Blot 1:500 -1:1000, Flow Cytometry 1:10-1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500,		


Immunohistochemistry-Frozen 1:10-1:500

immunohistochemistry-Frozen and Paraffin.

Images

Application Notes

Western Blot: RELM beta Antibody [NB200-204] - WB detection of secreted mouse RELM-beta from the media of transfected HEK 293T cells with NB200-204 antibody at a dilution of 1:500.





Immunoprecipitation 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500,

determine the optimal dilution for a specific application such as

Western blot - Use at 1:500 to 1:1,000 dilution. However, the investigator should

Publications

Tukler Henriksson J, Coursey TG, Corry DB et al. IL-13 Stimulates Proliferation and Expression of Mucin and Immunomodulatory Genes in Cultured Conjunctival Goblet Cells. Invest Ophthalmol Vis Sci 2015-07-01 [PMID: 26132778] (Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB200-204

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-13218PEP RELM beta Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB200-204

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

