Product Datasheet

NCOA6 Antibody - BSA Free NB200-336

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB200-336

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB200-336



NB200-336


NCOA6 Antibody - BSA Free

100 ul
1.0 mg/ml
Store at 4C. Do not freeze.
Polyclonal
0.09% Sodium Azide
IgG
Immunogen affinity purified
Tris-Citrate/Phosphate (pH 7.0 - 8.0)
Rabbit
23054
NCOA6
Human
The immunogen recognized by this antibody maps to a region between residue 2000 and the C-terminus (residue 2063) of human Activating Signal Cointegrator-2 using the numbering given in Swiss-Prot entry Q14686 (GeneID 23054).
Western Blot, Immunoprecipitation
Western Blot 1:5000-1:10000, Immunoprecipitation 1-5 ug/mg lysate
This antibody is useful for Western Blot and Immunoprecipitation. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use. *In some cases, the antibody may be diluted further than indicated.




Images

Western Blot: NCOA6 Antibody [NB200-336] - Detection of Human ASC2 by Western Blot. Samples: Nuclear extract (50 ug) from HeLa and 293T cells. Antibody: Affinity purified rabbit anti-ASC2 antibody NB200-336 used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



Immunoprecipitation: NCOA6 Antibody [NB200-336] - Detection of Human ASC2 by Western Blot of Immunoprecipitates



Publications

Kim GH, Park K, Yeom SY et al. Characterization of ASC-2 as an antiatherogenic transcriptional coactivator of liver X receptors in macrophages. Mol Endocrinol 2009-07-01 [PMID: 19342446]

Surapureddi S, Rana R, Reddy JK et al. Nuclear receptor coactivator 6 mediates the synergistic activation of human cytochrome P-450 2C9 by the constitutive androstane receptor and hepatic nuclear factor-4alpha. Mol Pharmacol 2008-09-01 [PMID: 18552123]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB200-336

NB800-PC9 HeLa Nuclear Cell Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB200-336

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

