Product Datasheet

Sodium Potassium ATPase Alpha 3 Antibody (XVIF9-G10) -BSA Free NB300-540

Unit Size: 100ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Reviews: 2 Publications: 21

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB300-540

Updated 4/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB300-540

NB300-540

Sodium Potassium ATPase Alpha 3 Antibody (XVIF9-G10) - BSA Free

Product	Information

Unit Size	100ug		
Concentration	1 mg/ml		
Storage	Store at -20C. Avoid freeze-thaw cycles.		
Clonality	Monoclonal		
Clone	XVIF9-G10		
Preservative	0.05% Sodium Azide		
Isotype	IgG1		
Purity	Protein A purified		
Buffer	0.02 M potassium phosphate (pH 7.2), 0.15 M NaCl		
Target Molecular Weight	111.749 kDa		
Product Description			
Host	Mouse		
Gene ID	478		
Gene Symbol	ATP1A3		
Species	Human, Mouse, Rat, Bovine, Canine, Guinea Pig, Primate, Rabbit, Sheep		
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information.		
Marker	Plasma Membrane Marker		
Specificity/Sensitivity	Detects sodium / potassium ATPase. This is specific for the alpha-3 subunit.		
Immunogen	Canine cardiac microsomes.		
Product Application Details			
Applications	Western Blot, Simple Western, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Block/Neutralize, Single Cell Western		
Recommended Dilutions	Western Blot 1 ug/mL, Simple Western 1:100, Flow Cytometry 1 ug / 10^6 cells, Immunohistochemistry 1:10 - 1:500, Immunocytochemistry/ Immunofluorescence 5 ug/mL, Immunohistochemistry-Paraffin 1:10 - 1:500, Immunohistochemistry- Frozen 3 ug/mL, Single Cell Western 100 ug/mL, Block/Neutralize		
Application Notes	May be useful in WB, IF, and IHC-Fr. WB: Detects an approx. 110 kDa protein representing the alpha-3 subunit of the sodium/potassium ATPase from canine skeletal muscle extract. IHC: Staining of sodium / potassium ATPase in rat retina yields a pattern consistent with plasma membrane localization.		
	In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See <u>Simple Western Antibody Database</u> for Simple Western validation: Tested in Human Brain lysate 0.5 mg/mL, separated by Size, antibody dilution of 1:100, apparent MW was 136 kDa. Separated by Size-Wes, Sally Sue/Peggy Sue. Single Cell Western validated using live primary humna cortical neurons.		



Images

Immunocytochemistry/Immunofluorescence: Sodium Potassium ATPase Alpha 3 Antibody (XVIF9-G10) [NB300-540] - Sodium/Potassium ATPase alpha-3 staining (green), F-Actin staining with Phalloidin (red) and nuclei with DAPI (blue) in U251 glioma cells is shown. Cells were grown on chamber slides and fixed with formaldehyde prior to staining. Cells were probed without (control) or with or an antibody recognizing Sodium/Potassium ATPase alpha-3 at a dilution of 1:20 over night at 4C, washed with PBS and incubated with a DyLight-488 conjugated.



Immunohistochemistry-Paraffin: Sodium Potassium ATPase Alpha 3 Antibody (XVIF9-G10) [NB300-540] - Both normal and cancer biopsies of deparaffinized Human prostate carcinoma tissues.



Immunocytochemistry/Immunofluorescence: Sodium Potassium ATPase Alpha 3 Antibody (XVIF9-G10) [NB300-540] - Sodium/Potassium ATPase alpha-3 staining (green), F-Actin staining with Phalloidin (red) and nuclei with DAPI (blue) in HeLa cells is shown. Cells were grown on chamber slides and fixed with formaldehyde prior to staining. Cells were probed without (control) or with or an antibody recognizing Sodium/Potassium ATPase alpha-3 at a dilution of 1:20 over night at 4C, washed with PBS and incubated with a DyLight-488 conjugated.

www.novusbio.com







Immunohistochemistry-Paraffin: Sodium Potassium ATPase Alpha 3 Antibody (XVIF9-G10) [NB300-540] - Both normal and cancer biopsies of deparaffinized Human tonsil tissues.



Immunohistochemistry-Paraffin: Sodium Potassium ATPase Alpha 3 Antibody (XVIF9-G10) [NB300-540] - Both normal and cancer biopsies of deparaffinized Human colon tissues.



Simple Western: Sodium Potassium ATPase Alpha 3 Antibody (XVIF9- G10) [NB300-540] - Simple Western lane view shows a specific band for Sodium Potassium ATPase Alpha 3 in 0.5 mg/ml of Human Brain lysate. This experiment was performed under reducing conditions using the 12- 230 kDa separation system.	ADa 230- 180- 116- 66-
	40-
	12-



Publications

Vivek Mahadevan, Jessica C. Pressey, Brooke A. Acton, Pavel Uvarov, Michelle Y. Huang, Jonah Chevrier, Andrew Puchalski, Caiwei M. Li, Evgueni A. Ivakine, Matti S. Airaksinen, Eric Delpire, Roderick R. McInnes, Melanie A. Woodin Kainate Receptors Coexist in a Functional Complex with KCC2 and Regulate Chloride Homeostasis in Hippocampal Neurons Cell reports 2019-01-14 [PMID: 24910435]

Lazar AM, Irannejad R, Baldwin TA et al. G protein-regulated endocytic trafficking of adenylyl cyclase type 9 eLife 2020-06-09 [PMID: 32515353]

Zakharova IO, Bayunova LV, Zorina II et al. Insulin and ?-Tocopherol Enhance the Protective Effect of Each Other on Brain Cortical Neurons under Oxidative Stress Conditions and in Rat Two-Vessel Forebrain Ischemia/Reperfusion Injury International Journal of Molecular Sciences 2021-10-29 [PMID: 34769198] (Western Blot, Block/Neutralize)

Ferrer-Ferrer M, Jia S, Kaushik R et al. Mice deficient in synaptic protease neurotrypsin show impaired spaced longterm potentiation and blunted learning-induced modulation of dendritic spines Cellular and molecular life sciences : CMLS 2023-03-05 [PMID: 36871239] (Immunohistochemistry-Frozen, Mouse)

Pfeiffer R, Beron J, Verrey F. Regulation of Na+ pump function by aldosterone is alpha-subunit isoform specific. J Physiol 1999-04-14 [PMID: 10200415]

Ferrer-Ferrer M, Jia S, Kaushik R et al. Disturbance in Hebbian-like spinogenesis blunted learning-induced modulation in the number and spatial distribution of dendritic spines Research Square 2022-06-24 (IF/IHC, Mouse)

Ferrer-Ferrer M, Jia S, Kaushik R et al. Disturbance in Hebbian-like spinogenesis blunted learning-induced modulation in the number and spatial distribution of dendritic spines Research Square Jun 24 2022 12:00AM (IHC, Mouse)

Nordstrom CK, Danckwardt-Lilliestrom N, Liu W, Rask-Andersen H Reversed polarization Na/K-ATPase-a sign of inverted transport in the human endolymphatic sac: a super-resolution structured illumination microscopy (SR-SIM) study Cell Tissue Res. 2019-11-12 [PMID: 31713726]

Liu W, Luque M, Glueckert R et al. Expression of Na/K-ATPase subunits in the human cochlea: a confocal and superresolution microscopy study with special reference to auditory nerve excitation and cochlear implantation Ups. J. Med. Sci. 2019-08-01 [PMID: 31460814]

Halbert D, Domenyuk V, Spetzler D et al. Aptamers and uses thereof United States Patent Application US 9958448 B2 2018-01-01

Coleman LG, Zou J, Crews FT Microglial-derived miRNA let-7 and HMGB1 contribute to ethanol-induced neurotoxicity via TLR7 J Neuroinflammation Jan 25 2017 12:00AM [PMID: 28118842] (FLOW, ELISA, Human) J Neuroinflammation. 2017-01-25 [PMID: 28118842] (FLOW, Human)

Details:

Citation using the Alexa Fluor 488 form of this antibody.

Ivakine EA, Acton BA, Mahadevan V et al. Neto2 is a KCC2 interacting protein required for neuronal CI- regulation in hippocampal neurons. Proc Natl Acad Sci U S A 2013-02-26 [PMID: 23401525] (WB, Mouse)

More publications at http://www.novusbio.com/NB300-540





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB300-540

NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NBL1-07809	Sodium Potassium ATPase Alpha 3 Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-540

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

