

# Product Datasheet

## MAD1L1/MAD1 Antibody NB500-136

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB500-136](http://www.novusbio.com/NB500-136)

Updated 5/31/2019 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB500-136](http://www.novusbio.com/reviews/destination/NB500-136)



**NB500-136****MAD1L1/MAD1 Antibody****Product Information**

<b>Unit Size</b>	0.1 mg
<b>Concentration</b>	This product is unpurified. The exact concentration of antibody is not quantifiable.
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.1% Sodium Azide
<b>Isotype</b>	IgG
<b>Purity</b>	Unpurified
<b>Buffer</b>	Whole antisera
<b>Target Molecular Weight</b>	95 kDa

**Product Description**

<b>Host</b>	Rabbit
<b>Gene ID</b>	8379
<b>Gene Symbol</b>	MAD1L1
<b>Species</b>	Human, Mouse
<b>Reactivity Notes</b>	Human and mouse. Other species have not been tested.
<b>Specificity/Sensitivity</b>	NB500-136 reacts with MAD1 where a band is seen at ~80 to 90 kDa representing MAD1.
<b>Immunogen</b>	Recombinant MAD1 protein

**Product Application Details**

<b>Applications</b>	Western Blot, Immunoprecipitation
<b>Recommended Dilutions</b>	Western Blot 1:100-1:2000, Immunoprecipitation 1:10-1:500
<b>Application Notes</b>	Western blotting 1:1,000 (ECL) Immunoprecipitation 1:50  The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.

**Publications**

Razeghi, P, Buksinska-Lisik, M, Palanichamy, N, Stepkowski, S, Frazier, O H, Taegtmeyer, H. Transcriptional regulators of ribosomal biogenesis are increased in the unloaded heart, . 20, 1090-1096. 2006-01-01 [PMID: 16770008]





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-  
techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB500-136](http://www.novusbio.com/reviews/submit/NB500-136)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

