Product Datasheet

IFITM3/Fragilis Antibody NB600-1534

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB600-1534

Updated 4/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB600-1534



NB600-1534

IFITM3/Fragilis Antibody


IFITM3/Fragilis Antibody	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein G purified
Buffer	PBS containing 0.05% BSA
Product Description	
Host	Rabbit
Gene ID	10410
Gene Symbol	IFITM3
Species	Mouse, Rat
Marker	Primordial Germ Cell Marker
Specificity/Sensitivity	Fragilis - Germ Line Marker
Immunogen	A portion of amino acids 1-50 of mouse fragilis was used as the immunogen.
Product Application Details	
Applications	Western Blot, Simple Western
Recommended Dilutions	Western Blot 0.5-2 ug/ml, Simple Western 1:10
Application Notes	In Simple Western only 10 - 15 uL of the recommended dilution is used per data point.

Product Application Details	
Applications	Western Blot, Simple Western
Recommended Dilutions	Western Blot 0.5-2 ug/ml, Simple Western 1:10
Application Notes	In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See <u>Simple Western Antibody Database</u> for Simple Western validation: Tested in NIH-3T3 lysate 0.5 mg/mL, separated by Size, antibody dilution of 1:10



Images

Western Blot: IFITM3/Fragilis Antibody [NB600-1534] - Analysis of Fragilis in mouse ES lysate in the (1) absence and (2) presence of immunizing peptide and in mouse NIH3T3 lysate in the (3) absence and (4) presence of immunizing peptide using Fragilis antibody at 1 ug/ml.



Simple Western: IFITM3/Fragilis Antibody [NB600-1534] - Simple Western lane view shows a specific band for Fragilis in 0.5 mg/ml of NIH-3T3 lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB600-1534

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00010410-P01-10ug Recombinant Human IFITM3/Fragilis GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-1534

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

