

Product Datasheet

HA Tag Antibody NB600-361

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB600-361

Updated 12/20/2023 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB600-361



NB600-361

HA Tag Antibody


Product Information	
Unit Size	0.1 ml
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS

Product Description	
Host	Chicken
Species	Non-species specific
Immunogen	This HA Tag Antibody was developed by immunizing chickens with HA (YPYDVPDYA) conjugated to KLH.
Notes	Chicken products cannot be exported to Canada.

Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000 - 1:30000, ELISA 1:1000 - 1:30000, Immunocytochemistry/ Immunofluorescence 1:100 - 1:400, Immunoprecipitation 1 - 4 ug/mg lysate
Application Notes	Recommended dilution for coating ELISA plates 1:100 - 1:500.

Images

Western Blot: HA Tag Antibody [NB600-361] - 200, 100, or 50 ng of E. coli whole cell lysate expressing a multi-tag fusion protein. Antibody at 0.2 ug/mL (1:5,000).



Publications

Chen H, Lu D, Shang G et al. Structural and Functional Analyses of the FAM46C/Plk4 Complex Structure 2020-05-12 [PMID: 32433990]

Shang G, Brautigam CA, Chen R et al. Structure analyses reveal a regulated oligomerization mechanism of the PlexinD1/GIPC/myosin VI complex. Elife 2017-05-24 [PMID: 28537552]

Park A, Yun T, Vigant F et al. Nipah Virus C Protein Recruits Tsg101 to Promote the Efficient Release of Virus in an ESCRT-Dependent Pathway. PLoS Pathog. 2016-05-01 [PMID: 27203423] (ICC/IF, Human)

Maas C, Torres VI, Altmann WD et al. Formation of Golgi-derived active zone precursor vesicles. J Neurosci 2012-08-01 [PMID: 22875941]

Bedard, J E J, Purnell, J D, Ware, S M. Nuclear import export signals are essential for proper cellular trafficking function of ZIC3, . 16, 187-198. 2007-01-01 [PMID: 17185387]

Wang, J, Shao, Y, Bennett, T A, Shankar, R A, Wightman, P D, Reddy, L G. The Functional Effects of Physical Interactions among Toll-like Receptors 7, 8, 9, 281, 37427-37434. 2006-01-01 [PMID: 17040905]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-361

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

