

# Product Datasheet

## Rabbit anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) NB7373

Unit Size: 0.5 mg

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB7373](http://www.novusbio.com/NB7373)

Updated 10/23/2024 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB7373](http://www.novusbio.com/reviews/destination/NB7373)



**NB7373****Rabbit anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed)**

<b>Product Information</b>	
<b>Unit Size</b>	0.5 mg
<b>Concentration</b>	0.5 mg/ml
<b>Storage</b>	Store at 4C. Do not freeze.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.09% Sodium Azide
<b>Purity</b>	Immunogen affinity purified
<b>Buffer</b>	Phosphate Buffered Saline (PBS)

<b>Product Description</b>	
<b>Host</b>	Rabbit
<b>Species</b>	Goat
<b>Specificity/Sensitivity</b>	By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) reacts specifically with goat IgG and with light chains common to other goat immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins. Antiserum was cross adsorbed using chicken, horse, human, mouse, pig and rat immunosorbents to remove cross reactive Antibodies. Less than 0.1% cross reactivity to chicken, horse, human, mouse, pig, rabbit and rat IgG was detected. This antibody may cross react with IgG from other species.
<b>Immunogen</b>	This Rabbit anti-Goat IgG (H+L) Secondary Antibody (Pre-adsorbed) was developed against goat IgG.

<b>Product Application Details</b>	
<b>Applications</b>	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
<b>Recommended Dilutions</b>	Western Blot 1:1000-1:10000, ELISA, Immunohistochemistry 1:100- 1:1000, Immunocytochemistry/ Immunofluorescence 1:100- 1:1000, Immunohistochemistry-Paraffin

**Publications**

Sun SH, Liu SQ, Cai CP et al. Down-regulation of alpha-2u globulin in renal mitochondria of STZ-induced diabetic rats observed by a proteomic method Ann Endocrinol (Paris) 2012-11-08 [PMID: 23131471]





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-  
techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB7373](http://www.novusbio.com/reviews/submit/NB7373)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

