Product Datasheet

Rabbit anti-Goat IgG (H+L) Secondary Antibody [Alkaline Phosphatase] (Pre-adsorbed) NB7374

Unit Size: 1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB7374

Updated 2/24/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB7374



NB7374

Rabbit anti-Goat IgG (H+L) Secondary Antibody [Alkaline Phosphatase] (Pre-adsorbed)

| , table 1. See 1. See (1. 1. 2) | |
|---------------------------------|--|
| Product Information | |
| Unit Size | 1 ml |
| Concentration | 0.5 mg/ml |
| Storage | Store at 4C. Do not freeze. |
| Clonality | Polyclonal |
| Preservative | 0.09% Sodium Azide |
| Isotype | IgG |
| Conjugate | Alkaline Phosphatase |
| Purity | Immunogen affinity purified |
| Buffer | 50 mM HEPES pH 7.1, 0.1 M NaCl, 1 mM MgCl2, 0.1 mM ZnCl2 |
| Product Description | |
| Host | Rabbit |
| Species | Goat |
| Specificity/Sensitivity | By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [Alkaline Phosphatase] (Pre-adsorbed) reacts specifically with goat IgG and with light chains common to other goat immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins. Antiserum was cross adsorbed using chicken, horse, human, mouse, pig and rat immunosorbents to remove cross reactive Antibodies. Less than 0.1% cross reactivity to chicken, horse, human, mouse, pig, rabbit and rat IgG was detected. This antibody may cross react with IgG from other species. |
| Immunogen | This Rabbit anti-Goat IgG (H+L) Secondary Antibody [Alkaline Phosphatase] (Pre-adsorbed) was developed against goat IgG-heavy and light chain. |
| Product Application Details | |
| Applications | Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1:2500 - 1:25000, ELISA, Immunohistochemistry 1:100 - 1:1000, Immunocytochemistry/ Immunofluorescence 1:100 - 1:1000, Immunohistochemistry-Paraffin |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7374

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

