Product Datasheet

Goat anti-Guinea Pig IgG (H+L) Secondary Antibody NB7396

Unit Size: 1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB7396

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB7396



NB7396

Goat anti-Guinea Pig IgG (H+L) Secondary Antibody

Goat anti-Guinea Pig igG (n+L) Secondary Antibody	
Product Information	
Unit Size	1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Phosphate Buffered Saline (PBS)
Product Description	
Host	Goat
Species	Guinea Pig
Specificity/Sensitivity	By immunoelectrophoresis and ELISA this Goat anti-Guinea Pig IgG (H+L) Secondary Antibody reacts specifically with guinea pig IgG and with light chains common to other guinea pig immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins. This antibody may cross react with IgG from other species.
Immunogen	This Goat anti-Guinea Pig IgG (H+L) Secondary Antibody was developed against guinea Pig IgG.
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:1000-1:10000, ELISA, Immunohistochemistry 1:200- 1:2000, Immunocytochemistry/ Immunofluorescence 1:200- 1:2000, Immunohistochemistry-Paraffin



Publications

Weegman BP, Taylor MJ, Baicu SC et al. Plasticity and Aggregation of Juvenile Porcine Islets in Modified Culture: Preliminary Observations Cell Transplantation 2016-10-01 [PMID: 27109912]

Glanz A, Chakravarty S, Fan S Et al. Autophagic degradation of IRF3 induced by the small-molecule auranofin inhibits its transcriptional and proapoptotic activities The Journal of biological chemistry 2021-10-05 [PMID: 34619149]

Inoue A, Nakao-Kuroishi K, Kometani-Gunjigake K et al. VNUT/SLC17A9, a vesicular nucleotide transporter, regulates osteoblast differentiation FEBS Open Bio 2020-06-26 [PMID: 32592329] (IHC-P)

Details:

Citation using the HRP format of this antibody.

Ueno H, Matsuda T, Hashimoto S et al. Contributions of high mobility group box protein in experimental and clinical acute lung injury. Am J Respir Crit Care Med. 2004-12-01 [PMID: 15374839]

Details:

This citation used the FITC form of this antibody.

O'Hagan DT, Singh M, Kazzaz J et al. Synergistic adjuvant activity of immunostimulatory DNA and oil/water emulsions for immunization with HIV p55 gag antigen. Vaccine. 2002-09-01 [PMID: 12213409]

Details:

This citation used the HRP form of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7396

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

