# **Product Datasheet**

# Goat anti-Mouse IgG2c Heavy Chain Secondary Antibody [HRP] NB7566

Unit Size: 1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

**Publications: 4** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB7566

Updated 6/3/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB7566



### **NB7566**

Goat anti-Mouse IgG2c Heavy Chain Secondary Antibody [HRP]

1 ml
1 ml
1.0 mg/ml
Store at 4C. Do not freeze.
Polyclonal
0.05% Pro-Clean 400
IgG
HRP
Immunogen affinity purified
Phosphate Buffered Saline (PBS) containing 0.2%BSA
Goat
Mouse
By immunoelectrophoresis and ELISA this reacts specifically with mouse IgG2c. This may cross react with IgG2c from other species.
Mouse IgG2c
Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Western Blot 1:1000-1:10000, ELISA, Immunohistochemistry 1:200 - 1:2000, Immunocytochemistry/ Immunofluorescence 1:200 - 1:2000, Immunohistochemistry-Paraffin

### **Publications**

Qian G, Jiang W, Sun D et al. B-cell-derived IL-10 promotes allergic sensitization in asthma regulated by Bcl-3 Cellular & molecular immunology 2023-08-31 [PMID: 37653127] (ELISA)

Qian G, Jiang W, Zou B et al. LPS inactivation by a host lipase allows lung epithelial cell sensitization for allergic asthma J Exp Med 2018-07-20 [PMID: 30021797] (ELISA)

Inoue Y, Kaifu T, Sugahara-Tobinai A et al. Activating Fc gamma receptors participate in the development of autoimmune diabetes in NOD mice. J Immunol. [PMID: 17617565]

#### Details:

Citation using the HRP form of this antibody.

Matsumoto S, Matsumoto M, Umemori K et al. DNA augments antigenicity of mycobacterial DNA-binding protein 1 and confers protection against Mycobacterium tuberculosis infection in mice. J Immunol. [PMID: 15972678]

### Details:

Citation using the HRP form of this antibody.





# **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

# **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7566

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

