Product Datasheet

Human Brain Occipital Lobe Membrane Tissue Lysate (Adult Membrane Normal) NB820-60578

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB820-60578

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB820-60578

NB820-60578

Human Brain Occipital Lobe Membrane Tissue Lysate (Adult Membrane Normal)

NP-40, and a cocktail of protease inhibitorsProduct DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityMembrane Protein - Human Adult Normal Tissue: Brain: Occipital LobeLysate TypeTissueLysate TissueNervousLysate Tissue ConditionNormalLysate Life StageAdultLysate Subcellular FractionMembraneProduct Application DetailsWestern BlotRecommended DilutionsWestern Blot		
Concentration2.0 mg/mlStorageStore at -80C. Avoid freeze-thaw cycles.BufferHEPES (pH 7.9), MgCl2, KCl, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitorsProduct DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityMembrane Protein - Human Adult Normal Tissue: Brain: Occipital LobeLysate TypeTissueLysate TissueNervousLysate Tissue ConditionNormalLysate Life StageAdultNativeMembraneLysate Subcellular FractionMembraneProduct Application DetailsMestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Product Information	
StorageStore at -80C. Avoid freeze-thaw cycles.BufferHEPES (pH 7.9), MgCl2, KCl, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitorsProduct DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityMembrane Protein - Human Adult Normal Tissue: Brain: Occipital Lobe TissueLysate TissueNervousLysate TissueNervousLysate Tissue ConditionNormalLysate Tissue ConditionNormalLysate Subcellular FractionMembraneProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Unit Size	0.1 mg
BufferHEPES (pH 7.9), MgCl2, KCI, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitorsProduct DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityMembrane Protein - Human Adult Normal Tissue: Brain: Occipital LobeLysate TypeTissueLysate TissueNervousLysate Tissue ConditionNormalLysate Protein StateAdultLysate Subcellular FractionMembraneProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Concentration	2.0 mg/ml
NP-40, and a cocktail of protease inhibitors Product Description We recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use. Species Human Specificity/Sensitivity Membrane Protein - Human Adult Normal Tissue: Brain: Occipital Lobe Lysate Type Tissue Lysate Tissue Nervous Lysate Tissue Condition Normal Lysate Protein State Native Lysate Subcellular Fraction Membrane Product Application Details Western Blot Application Notes Western Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Storage	Store at -80C. Avoid freeze-thaw cycles.
DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityMembrane Protein - Human Adult Normal Tissue: Brain: Occipital LobeLysate TypeTissueLysate TissueNervousLysate Tissue ConditionNormalLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionMembraneProduct Application DetailsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Buffer	
prior to use.SpeciesHumanSpecificity/SensitivityMembrane Protein - Human Adult Normal Tissue: Brain: Occipital LobeLysate TypeTissueLysate TissueNervousLysate Tissue ConditionNormalLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionMembraneProduct Application DetailsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Product Description	
Specificity/SensitivityMembrane Protein - Human Adult Normal Tissue: Brain: Occipital LobeLysate TypeTissueLysate TissueNervousLysate Tissue ConditionNormalLysate Tissue ConditionAdultLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionMembraneProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Description	
Lysate TypeTissueLysate TissueNervousLysate Tissue ConditionNormalLysate Tissue ConditionNormalLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionMembraneProduct Application DetailsVestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Species	Human
Lysate TissueNervousLysate Tissue ConditionNormalLysate Tissue ConditionNormalLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionMembraneProduct Application DetailsVestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Specificity/Sensitivity	Membrane Protein - Human Adult Normal Tissue: Brain: Occipital Lobe
Lysate Tissue ConditionNormalLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionMembraneProduct Application DetailsVestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Type	Tissue
Lysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionMembraneProduct Application DetailsVestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Tissue	Nervous
Lysate Protein StateNativeLysate Subcellular FractionMembraneProduct Application DetailsApplicationsWestern BlotRecommended DilutionsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Tissue Condition	Normal
Lysate Subcellular FractionMembraneProduct Application DetailsApplicationsWestern BlotRecommended DilutionsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Life Stage	Adult
Product Application Details Applications Western Blot Recommended Dilutions Western Blot Application Notes Western Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Protein State	Native
ApplicationsWestern BlotRecommended DilutionsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Subcellular Fraction	Membrane
Recommended Dilutions Western Blot Application Notes Western Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Product Application Details	
Application NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Applications	Western Blot
	Recommended Dilutions	Western Blot
	Application Notes	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB820-60578

NBP2-77766

Brain Occipital Lobe Tissue Slides (Adult Normal)- Paraffin

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB820-60578

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

