Product Datasheet

SF-1/NR5A1/Steroidogenic Factor 1 Overexpression

Lysate NBL1-13782

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBL1-13782

Updated 11/9/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBL1-13782

NBL1-13782

SF-1/NR5A1/Steroidogenic Factor 1 Overexpression Lysate

Product Information					
Unit Size	0.1 mg				
Concentration	The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information.				
Storage	Store at -80C. Avoid freeze-thaw cycles.				
Buffer	RIPA buffer				
Target Molecular Weight	51.5 kDa				
Product Description					
Description	SF-1/NR5A1/Steroidogenic Factor 1 Transient Overexpression Lysate				
	Expression Host: HEK293T				
	Plasmid: RC207577				
	Accession#: NM_004959				
	Protein Tag: C-MYC/DDK				
	You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists of 4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue, 100mM DTT.				
Gene ID	2516				
Gene Symbol	NR5A1				
Species	Human				
Notes	HEK293T cells in 10-cm dishes were transiently transfected with a non-lipid polymer transfection reagent specially designed and manufactured for large volume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein concentration was measured by BCA protein assay kit.				
Lysate Type	Overexpression				
Product Application Details					
Applications	Western Blot				
Recommended Dilutions	Western Blot				



Application Notes	This product is intended for use as a positive control in Western Blot. Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag (<u>NBP1-71705</u>) present on the protein construct.		
	Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.		

Images

Western Blot: Steroidogenic Factor 1 Overexpression Lysate (Adult Normal) [NBL1-13782] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for Steroidogenic Factor 1.

158-	le i	
106 - 79 -	-	
48 -	-	
35-		
35- 23-		





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBL1-13782

H00002516-P01-10ug	Recombinant Human SF-1/NR5A1/Steroidogenic Factor 1 GST (N- Term) Protein
AF3075	SOX9 Antibody [Unconjugated]
NBP1-52823	SF-1/NR5A1/Steroidogenic Factor 1 Antibody
NB100-1596	Aromatase Antibody

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBL1-13782

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

