Product Datasheet

FAM62A Antibody NBP1-00184

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-00184

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-00184



NBP1-00184

FAM62A Antibody

Product Information	
0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description	
Goat	
23344	
ESYT1	
Human	
Peptide with sequence C-QKKRTLSPEFNER corresponding to internal region according to NP_056107.1.	
Product Application Details	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA	
Western Blot 1 - 3 ug/mL, Immunohistochemistry 3.75 ug/mL, Immunohistochemistry-Paraffin 3.75 ug/mL, Peptide ELISA Detection limit 1:8000	
WB: Approx. 150 kDa band observed in human adipose lysates (calculated MW of 123 kDa band according to NP_056107.1). In transfected HEK293 transiently expressing FAM62A a band of approx. 120 kDa is observed. This band is not observed in the non-transfected HEK293.	



Images Western Blot: FAM62A Antibody [NBP1-00184] - HEK293 188 overexpressing FAM62A and probed with (mock transfection in first lane). Immunohistochemistry-Paraffin: FAM62A Antibody [NBP1-00184] -Staining of paraffin embedded Human Placenta. Antibody at 3.75 ug/mL. Steamed antigen retrieval with citrate buffer pH 6, AP-staining. 250kDa 150kDa Western Blot: FAM62A Antibody [NBP1-00184] - Staining of Human Adipose lysate (35 ug protein in RIPA buffer). Antibody at 0.5 ug/mL. 100kDa Primary incubation was 1 hour. Detected by chemiluminescence. 75kDa 50kDa 37kDa

Publications

Morris NJ, Ross SA, Neveu JM et al. Cloning and preliminary characterization of a 121 kDa protein with multiple predicted C2 domains. Biochim Biophys Acta 1999-05-18 [PMID: 10350628]



25kDa 20kDa

15kDa



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-00184

NBL1-10549 FAM62A Overexpression Lysate

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-00184

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



