

# Product Datasheet

## HUNK Antibody NBP1-02385

Unit Size: 0.05 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-02385](http://www.novusbio.com/NBP1-02385)

Updated 3/28/2021 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-02385](http://www.novusbio.com/reviews/destination/NBP1-02385)



**NBP1-02385****HUNK Antibody**


<b>Product Information</b>	
<b>Unit Size</b>	0.05 mg
<b>Concentration</b>	1.0 mg/ml
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.1% Sodium Azide
<b>Isotype</b>	IgG
<b>Purity</b>	Immunogen affinity purified
<b>Buffer</b>	PBS

<b>Product Description</b>	
<b>Host</b>	Rabbit
<b>Gene ID</b>	30811
<b>Gene Symbol</b>	HUNK
<b>Species</b>	Human, Bovine, Monkey
<b>Reactivity Notes</b>	Predicted cross-reactivity based on sequence identity: Chimpanzee (100%), Gorilla (100%), Elephant (100%), Gibbon (89%), Marmoset (89%), Canine (89%), Panda (89%), Equine (89%), Mouse (84%), Rat (84%), Hamster (84%).
<b>Specificity/Sensitivity</b>	Human HUNK. BLAST analysis of the peptide immunogen showed no homology with other human proteins.
<b>Immunogen</b>	Synthetic 19 amino acid peptide from C-terminal cytoplasmic domain of human HUNK.

<b>Product Application Details</b>	
<b>Applications</b>	ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin
<b>Recommended Dilutions</b>	ELISA, Immunohistochemistry 1:10 - 1:500, Immunohistochemistry-Paraffin 20 ug/ml

**Images**

Immunohistochemistry-Paraffin: HUNK Antibody [NBP1-02385] - Staining of human vascular endothelium. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 20 ug/ml.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-02385](http://www.novusbio.com/reviews/submit/NBP1-02385)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

