

Product Datasheet

WISP3 Antibody NBP1-02535

Unit Size: 0.05 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-02535

Updated 12/9/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-02535



NBP1-02535

WISP3 Antibody

Product Information

| | |
|----------------------|--|
| Unit Size | 0.05 mg |
| Concentration | 1 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.09% Sodium Azide |
| Isotype | IgG |
| Purity | Protein G purified |
| Buffer | PBS |

Product Description


| | |
|--------------------------------|---------------------------------------|
| Host | Rabbit |
| Gene ID | 8838 |
| Gene Symbol | CCN6 |
| Species | Human |
| Specificity/Sensitivity | Amino acids 320 to 335 of human WISP3 |
| Immunogen | Synthetic peptide from human WISP3. |

Product Application Details

| | |
|------------------------------|---|
| Applications | ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | ELISA 1:000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 10 ug/ml |
| Application Notes | IHC: NBP1-02535 was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin and chromogen. The stained slides were evaluated by a pathologist to confirm staining specificity. |

Images

Immunohistochemistry-Paraffin: WISP3 Antibody [NBP1-02535] - Staining of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-02535

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications