# **Product Datasheet**

# NAT8L Antibody NBP1-06599

Unit Size: 0.2 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-06599

Updated 12/1/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-06599



## NBP1-06599

NAT8L Antibody

| TWITTOLF THUBBODY           |  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 0.2 ml   |
| Concentration               | This product is unpurified. The exact concentration of antibody is not quantifiable.                                     |
| Storage                     | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.                                   |
| Clonality                   | Polyclonal   |
| Preservative                | No Preservative  |
| Reconstitution Instructions | Lyophilized powder, reconstituted in distilled water.  |
| Isotype                     | IgG  |
| Purity                      | Unpurified   |
| Buffer                      | Antiserum  |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 339983   |
| Gene Symbol                 | NAT8L  |
| Species                     | Human, Mouse   |
| Reactivity Notes            | Human and Mouse. May react with Rat.   |
| Specificity/Sensitivity     | Reacts specifically with mouse 36 kDa protein  |
| Immunogen                   | Synthetic peptide derived from Cter domain of mouse NAT8L protein  |
| Product Application Details |  |
| Applications                | Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Recommended Dilutions       | Western Blot 1:100-1:1000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:50-1:200 |
|                             |  |

## **Publications**

Pessentheiner AR, Pelzmann HJ, Walenta E et al. N-acetyltransferase 8-like accelerates lipid turnover and increases energy expenditure in brown adipocytes. J Biol Chem. 2013-10-23 [PMID: 24155240] (WB, Mouse)





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-06599

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

