

Product Datasheet

SIAH2 Antibody NBP1-19648

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-19648

Updated 7/28/2019 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-19648



NBP1-19648

SIAH2 Antibody

| Product Information | |
|--------------------------------|--|
| Unit Size | 0.1 ml |
| Concentration | 1.0 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.05% Sodium Azide |
| Purity | Immunogen affinity purified |
| Buffer | PBS (pH 7.2) |
| Target Molecular Weight | 38 kDa |

| Product Description | |
|--------------------------------|--|
| Host | Rabbit |
| Gene ID | 6478 |
| Gene Symbol | SIAH2 |
| Species | Human, Mouse, Rat |
| Specificity/Sensitivity | Siah-2 (E266) detects endogenous levels of Siah-2 protein. |
| Immunogen | Synthetic peptide, corresponding to amino acids 241-290 of Human Siah-2. |

| Product Application Details | |
|------------------------------|--|
| Applications | Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1:500-1:1000, Immunohistochemistry 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:200 |
| Application Notes | Western blot (WB) analysis of Siah-2 (E266) pAb in extracts from COLO cells. Immunohistochemistry (IHC) analyzes of Siah-2 (E266) pAb in paraffin-embedded human heart tissue. |

Publications

Yan T, Zhou D, Shi Y et al. Targeting ADT-Induced Activation of the E3 Ubiquitin Ligase Siah2 to Delay the Occurrence of Castration-Resistant Prostate Cancer *Frontiers in Oncology* 2021-04-16 [PMID: 33937036] (WB, Human)

Liao Y, Zhang M, Lonnerdal B. Growth factor TGF- β induces intestinal epithelial cell (IEC-6) differentiation: miR-146b as a regulatory component in the negative feedback loop. *Genes Nutr.* 2012-05-09 [PMID: 22570175] (WB, Rat)

Kilroy G, Kirk-Ballard H, Carter LE, Floyd ZE. The Ubiquitin Ligase Siah2 Regulates PPAR γ Activity in Adipocytes. *Endocrinology.* 2012-01-31 [PMID: 22294748] (WB, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-19648

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

