Product Datasheet

IFN-alpha/beta R2 Antibody NBP1-20934

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-20934

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-20934



NBP1-20934


IFN-alpha/beta R2 Antibody

0.1 mg	
0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
gG	
mmunogen affinity purified	
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description	
Goat	
3455	
FNAR2	
Human	
This antibody is expected to recognise all three reported isoforms (NP_000865.2 NP_997467.1; NP_997468.1)	
Peptide with sequence SYDSPDYTDESCT corresponding to internal region according to NP_000865.2, NP_997467.1, NP_997468.1.	
Product Application Details	
Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry- Paraffin, Peptide ELISA	
Western Blot 0.2 ug/mL, Flow Cytometry, Immunohistochemistry, mmunohistochemistry-Paraffin 5 ug/mL, Peptide ELISA Detection limit 1:32000	



Images


Immunohistochemistry-Paraffin: IFN-alpha/beta R2 Antibody [NBP1-20934] - (5ug/ml) staining of Human Placenta. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Flow Cytometry: IFN-alpha/beta R2 Antibody [NBP1-20934] - Flow cytometric analysis of paraformaldehyde fixed K562 cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (1ug/ml). IgG control: Unimmunized goat IgG (black line) followed by Alexa Fluor 488 secondary antibody.

Immunohistochemistry-Paraffin: IFN-alpha/beta R2 Antibody [NBP1-20934] - (5ug/ml) staining of Human Prostate. Steamed antigen retrieval with citrate buffer Ph 6, AP-staining.

www.novusbio.com



Alexa Fluor 488

Publications

Keller BC, Fredericksen BL, Samuel MA et al. Resistance to alpha/beta interferon is a determinant of West Nile virus replication fitness and virulence. J Virol 2006-10-01 [PMID: 16973548]



Cells



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-20934

210-TA-005	TNF-alpha [Unconjugated]
NB410-28088-1mg	Goat IgG Isotype Control
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-20934

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com



www.novusbio.com



technical@novusbio.com