# **Product Datasheet**

## CKAP2 Antibody - BSA Free NBP1-21391

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-21391

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-21391



### NBP1-21391

CKAP2 Antibody - BSA Free

ord a 27 massay Derivinos	
Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)
Product Description	
Host	Rabbit
Gene ID	26586
Gene Symbol	CKAP2
Species	Human
Immunogen	The immunogen recognized by this antibody maps to a region between residue 633 and 683 of human cytoskeleton associated protein 2 using the numbering given in entry NP_001091995.1 (GeneID 26586).
Product Application Details	

Western Blot, Immunoprecipitation


Western Blot 1:2000-1:10000, Immunoprecipitation 2-5 ug/mg lysate

## **Images**


**Applications** 

**Recommended Dilutions** 

Western Blot: CKAP2 Antibody [NBP1-21391] - Detection of human CKAP2 by western blot. Samples:Whole cell lysate (15 ug) from HeLa, HEK293T, and Jurkat cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-CKAP2 antibody NBP1-21391 used for WB at 0.1 ug/ml. Detection:Chemiluminescence with an exposure time of 30 seconds.



Immunoprecipitation: CKAP2 Antibody [NBP1-21391] - Detection of human CKAP2 by western blot of immunoprecipitates. Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from HeLa, cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-CKAP2 antibody NBP1-21391 used for IP at 3 ug per reaction. CKAP2 was also immunoprecipitated by rabbit anti-CKAP2 antibody NBP1-21390. For blotting immunoprecipitated CKAP2, NBP1-21391 was used at 0.4 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.







## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP1-21391**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00026586-P01-10ug Recombinant Human CKAP2 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-21391

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

