

# Product Datasheet

## Monocyte/Granulocyte Antibody (74-22-15) [FITC] NBP1-28242

Unit Size: 0.25 mg

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-28242](http://www.novusbio.com/NBP1-28242)

Updated 10/23/2024 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-28242](http://www.novusbio.com/reviews/destination/NBP1-28242)



**NBP1-28242**


Monocyte/Granulocyte Antibody (74-22-15) [FITC]

Product Information	
Unit Size	0.25 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	74-22-15
Preservative	0.1% Sodium Azide
Isotype	IgG1 Kappa
Conjugate	FITC
Purity	Protein A or G purified
Buffer	PBS
Product Description	
Host	Mouse
Species	Mouse, Porcine
Specificity/Sensitivity	Porcine SWC3a
Immunogen	Fresh dd miniature swine thymocytes
Notes	Protect conjugated forms from light.
Product Application Details	
Applications	ELISA, Immunocytochemistry
Recommended Dilutions	ELISA, Immunocytochemistry




## Images


Flow Cytometry: Monocyte/Granulocyte Antibody (74-22-15) [FITC] [NBP1-28242] - Porcine peripheral blood lymphocytes, monocytes, and granulocytes were stained with Mouse Anti-Porcine Monocyte/Granulocyte-FITC and Mouse Anti-Porcine CD3 -epsilon- PE.



Flow Cytometry: Monocyte/Granulocyte Antibody (74-22-15) [FITC] [NBP1-28242] - 1 ug/10<sup>6</sup> cells Fresh heparinized blood from a healthy adult pig was stained with mouse anti-pig Monocyte/Granulocyte-FITC. Red blood cells were lysed with ammonium chloride and the cells were then fixed in 1% paraformaldehyde. Granulocytes were gated and analyzed on a flow cytometer



Flow Cytometry: Monocyte/Granulocyte Antibody (74-22-15) [FITC] [NBP1-28242] - Porcine peripheral blood granulocytes were stained with Mouse Anti-Porcine Monocyte/Granulocyte-PE (NBP1-28244).





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-28242**

---

NBP1-43319F	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [FITC]
NBP1-28241APC	Monocyte/Granulocyte Antibody (74-22-15) [Allophycocyanin]

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-28242](http://www.novusbio.com/reviews/submit/NBP1-28242)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

