# **Product Datasheet**

# MARCH10 Antibody NBP1-28483

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-28483

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-28483



## NBP1-28483

MARCH10 Antibody

W/ (COTTO / (Illibody	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	162333
Gene Symbol	MARCH10
Species	Rat
Specificity/Sensitivity	This antibody is expected to recognise both reported isoforms (NP_001094345.1; NP_689811.2), which are identical.
Immunogen	Peptide with sequence C-SRNYPQPRTEE corresponding to internal region according to NP_001094345.1, NP_689811.2.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Western Blot 1:100-1:2000, Immunohistochemistry, Immunohistochemistry- Paraffin, Peptide ELISA Detection limit 1:8000
Application Notes	WB: Approx. 90 kDa band observed in rat testis lysates (calculated MW of 90.5 kDa band according to human NP_689811.2 and of 87.9 kDa band according to mouse NP_766156.2). An additional band of unknown identity was also consistently observed at 37 kDa. This band was successfully blocked by incubation with the immunizing peptide.



#### **Images**

Western Blot: MARCH10 Antibody [NBP1-28483] - (0.3ug/ml) staining of Rat Testis lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

250kDa 150kDa 100kDa


75kDa

50kDa 37kDa

25kDa 20kDa

15kDa

Immunohistochemistry-Paraffin: MARCH10 Antibody [NBP1-28483] - (5ug/ml) staining of paraffin embedded Human Testis. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



#### **Publications**

Morokuma Y, Nakamura N, Kato A et al. MARCH-XI, a novel transmembrane ubiquitin ligase implicated in ubiquitin-dependent protein sorting in developing spermatids. J Biol Chem 2007-08-24 [PMID: 17604280]



### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP1-28483**

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP1-89833PEP MARCH10 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-28483

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



