Product Datasheet

Cystathionase Antibody - BSA Free NBP1-31759

Unit Size: 100 ul

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-31759

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-31759



NBP1-31759


Cystathionase Antibody - BSA Free

Cystatriionase Antibody - BSA Free	
Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol
Target Molecular Weight	45 kDa
Product Description	
Description	Novus Biologicals Rabbit Cystathionase Antibody - BSA Free (NBP1-31759) is a polyclonal antibody validated for use in IHC and WB. Anti-Cystathionase Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	1491
Gene Symbol	СТН
Species	Human, Mouse, Rat
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Porcine (86%), Bovine (89%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human Cystathionase. The exact sequence is proprietary.
Product Application Details	

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000

Images

Immunohistochemistry-Paraffin: Cystathionase Antibody [NBP1-31759] - Paraffin-embedded hepatoma tissue; antibody dilution 1:500.






Western Blot: Cystathionase Antibody [NBP1-31759] - Non-transfected CTH shRNA (-) and transfected (+) 293T whole cell extracts (30 ug) were separated MW (kDa) by 10% SDS-PAGE, and the membrane was blotted with CTH antibody. 180 -The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to 130 detect the primary antibody. 95 -72 -**←**CTH alpha tubulin Western Blot: Cystathionase Antibody [NBP1-31759] - Rat tissue extract (50 ug) was separated by 10% SDS-PAGE, and the membrane was blotted with CTH antibody diluted at 1:3000. The HRP-conjugated anti-(kDa) rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody. 34 -Western Blot: Cystathionase Antibody [NBP1-31759] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with CTH antibody diluted at 1:1000. The HRP-conjugated 180 — 130 anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody. 95 -72 55 ←- CTH 34 Western Blot: Cystathionase Antibody [NBP1-31759] - Various tissue extracts (50 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with CTH antibody diluted at 1:1000. The HRP-conjugated (kDa) anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody. 72-55 -43 -← CTH 26 -



Immunohistochemistry-Paraffin: Cystathionase Antibody [NBP1-31759] - Mouse kidney. CTH stained by CTH antibody diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



Publications

Md. Aejazur Rahman, Bridgette M. Cumming, Kelvin W. Addicott, Hayden T. Pacl, Shannon L. Russell, Kievershen Nargan, Threnesan Naidoo, Pratistadevi K. Ramdial, John H. Adamson, Rui Wang, Adrie J. C. Steyn Hydrogen sulfide dysregulates the immune response by suppressing central carbon metabolism to promote tuberculosis Proceedings of the National Academy of Sciences of the United States of America 2020-03-24 [PMID: 32139610]



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-31759

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-78832-100ug Recombinant Human Cystathionase His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-31759

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

