

Product Datasheet

GRK2 Antibody NBP1-32534

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-32534

Updated 11/30/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-32534



NBP1-32534

GRK2 Antibody


| Product Information | |
|-------------------------|--|
| Unit Size | 0.1 ml |
| Concentration | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Storage | Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.01% Thimerosal |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | 0.1M Tris (pH 7), 0.1M Glycine, 10% Glycerol |
| Target Molecular Weight | 80 kDa |

| Product Description | |
|---------------------|--|
| Host | Rabbit |
| Gene ID | 156 |
| Gene Symbol | GRK2 |
| Species | Human |
| Immunogen | Recombinant protein encompassing a sequence within the center region of human GRK2. The exact sequence is proprietary. |


| Product Application Details | |
|-----------------------------|---|
| Applications | Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000 |

Images


Western Blot: GRK2 Antibody [NBP1-32534] - Wild-type (WT) and GRK2 knockout (KO) 293T cell extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with GRK2 antibody diluted at 1:1000. HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.




Immunocytochemistry/Immunofluorescence: GRK2 Antibody [NBP1-32534] - Analysis of methanol-fixed HeLa, using antibody at 1:500 dilution.




Costained with Hoechst 33342




Immunohistochemistry-Paraffin: GRK2 Antibody [NBP1-32534] - Paraffin-embedded Cal27 xenograft, using antibody at 1:500 dilution.



Western Blot: GRK2 Antibody [NBP1-32534] - Sample(30 ug whole cell lysate)A:Raji 7. 5% SDS PAGE, antibody diluted at 1:1000.



Western Blot: GRK2 Antibody [NBP1-32534] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with GRK2 antibody diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-32534

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

