## **Product Datasheet**

# ATRX Antibody NBP1-32851

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 4** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-32851

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-32851



## NBP1-32851

ATRX Antibody


| 0.1 ml   |  |
|--|--|
| Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |  |
| Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.   |  |
| Polyclonal   |  |
| 0.025% Proclin 300   |  |
| lgG  |  |
| Antigen Affinity-purified  |  |
| PBS (pH 7), 20% Glycerol, 1% BSA   |  |
| 283 kDa  |  |
| Product Description  |  |
| Rabbit   |  |
| 546  |  |
|  |  |

| Gene Symbol                 | ATRX   |
|-----------------------------|--|
| Species                     | Human, Mouse, Rat  |
| Immunogen                   | Recombinant protein encompassing a sequence within the C-terminus region of human ATRX. The exact sequence is proprietary. |
| Product Application Details |  |
| Applications                | Western Blot, Immunocytochemistry/ Immunofluorescence,   |


#### Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation **Recommended Dilutions** Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunoprecipitation 1:100-1:500, Immunohistochemistry-Paraffin 1:100-1:1000

## **Images**


Immunohistochemistry-Paraffin: ATRX Antibody [NBP1-32851] - Human lung cancer. ATRX stained by ATRX antibody [C3], C-term diluted at 1:2500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.




Western Blot: ATRX Antibody [NBP1-32851] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 5% SDS-PAGE, and the membrane was blotted with ATRX antibody [C3], C-term.




Immunohistochemistry-Paraffin: ATRX Antibody [NBP1-32851] - Human endometrial carcinoma. Rad54 antibody [C3], C-term dilution: 1:500.



Immunohistochemistry-Paraffin: ATRX Antibody [NBP1-32851] - Human breast carcinoma. ATRX stained by ATRX antibody [C3], C-term diluted at 1:2000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.




Immunohistochemistry-Paraffin: ATRX Antibody [NBP1-32851] - Human lung cancer. ATRX stained by ATRX antibody [C3], C-term diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.




Page 3 of 6 v.20.1 Updated 10/23/2024 Immunoprecipitation: ATRX Antibody [NBP1-32851] -Immunoprecipitation of ATRX protein from 293T whole cell extracts using 5 ug of ATRX antibody [C3], C-term (NBP1-32851). Western blot analysis was performed using ATRX antibody [C3], C-term (NBP1-250 32851). EasyBlot anti-Rabbit IgG was used as a secondary reagent. 130 Ctrl IgG NBP1-32851 Western Blot: ATRX Antibody [NBP1-32851] - Various whole cell extracts (30 ug) were separated by 5% SDS-PAGE, and the membrane was blotted with ATRX antibody [C3], C-term diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody. 250 180-130 72-Western Blot: ATRX Antibody [NBP1-32851] - Various whole cell extracts (30 ug) were separated by 5% SDS-PAGE, and the membrane was blotted with ATRX antibody [C3], C-term diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody. 180 95-Western Blot: ATRX Antibody [NBP1-32851] - Various whole cell extracts (30 ug) were separated by 5% SDS-PAGE, and the membrane MW was blotted with ATRX antibody [C3], C-term diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody. 250-130-95-




Western Blot: ATRX Antibody [NBP1-32851] - mRNA expression & protein complex formation of various ChRFs in the brain & in embryonic stem cells (ESCs). (A) Schematic of regions that were assessed for RNA levels of several ChRFs: Bs. brain stem; Ce. cerebellum; Mb. midbrain; Hth, hypothalamus; Hc, Th, S, hippocampus/thalamus/septum; Ctx, cortex; & Ob, olfactory bulb. (B) ChRFs fall into two large expression groups (I + II) in the brain. RT-qPCR results were expressed as ΔCT values (reference gene: Gapdh) which were then centered at the median & subjected to hierarchical clustering. Red color indicates high expression (negative ΔCT value) & green color indicates low expression (positive ΔCT value). (C) Superose 6 size exclusion chromatography of ChRF peak fractions after anion exchange chromatography followed by immunoblot analysis of CHD3, CHD5, & ATRX as well as HDAC1, 2, & 3. The arrowhead indicates the void volume of the column, the asterisk marks a scanning artifact. Molecular masses of defined marker proteins are indicated at the bottom of their corresponding elution fractions. Image collected & cropped by CiteAb from the following publication (http://journal.frontiersin.org/Article/10.3389/fnbeh.2015.00313/abstract), licensed under a CC-BY license. Not internally tested by Novus Biologicals.




Immunocytochemistry/ Immunofluorescence: ATRX Antibody [NBP1-32851] - ATRX antibody [C3], C-term detects ATRX protein at nucleus by immunofluorescent analysis.Sample: HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min.Green: ATRX stained by ATRX antibody [C3], C-term (NBP1-32851) diluted at 1:1000.Red: phalloidin, a cytoskeleton marker, diluted at 1:200.Scale bar= 10 um.



Western Blot: ATRX Antibody [NBP1-32851] - Various whole cell extracts (30 ug) were separated by 5% SDS-PAGE, and the membrane was blotted with ATRX antibody [C3], C-term (NBP1-32851) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Western Blot: ATRX Antibody [NBP1-32851] - Various whole cell extracts (30 ug) were separated by 5% SDS-PAGE, and the membrane was blotted with ATRX antibody [C3], C-term (NBP1-32851) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.





#### **Publications**

Yu S, Wei S, Savani M et al. A Modified Nucleoside 6-Thio-2'-Deoxyguanosine Exhibits Antitumor Activity in Gliomas Clinical Cancer Research 2021-12-15 [PMID: 34593527] (Western Blot)

Rebeillard F, De Gois S, Pietrancosta N et al. The Orphan GPCR Receptor, GPR88, Interacts with Nuclear Protein Partners in the Cerebral Cortex Cerebral cortex (New York, N.Y.: 1991) 2021-07-09 [PMID: 34247243]

Wille A, Amort T, Singewald N et al. Dysregulation of select ATP-dependent chromatin remodeling factors in high trait anxiety. Behav. Brain Res. 2016-05-18 [PMID: 27208790] (WB, Mouse)

Wille A, Maurer V, Piatti P et al. Impaired Contextual Fear Extinction Learning is Associated with Aberrant Regulation of CHD-Type Chromatin Remodeling Factors. Front Behav Neurosci 2015-01-01 [PMID: 26635563] (WB)





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP1-32851**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00000546-P01-10ug Recombinant Human ATRX GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-32851

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

