

Product Datasheet

Serum Response Factor SRF Antibody NBP1-33063

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-33063

Updated 12/20/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-33063



NBP1-33063**Serum Response Factor SRF Antibody****Product Information**

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	0.1M Tris (pH 7), 0.1M Glycine, 10% Glycerol
Target Molecular Weight	52 kDa

Product Description


Host	Rabbit
Gene ID	6722
Gene Symbol	SRF
Species	Human, Mouse
Reactivity Notes	Xenopus laevis (85%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human SRF. The exact sequence is proprietary.

Product Application Details


Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000

Images


Western Blot: Serum Response Factor SRF Antibody [NBP1-33063] - Sample (30 ug of whole cell lysate) A: Molt-4 10% SDS PAGE, antibody diluted at 1:500.




Immunocytochemistry/Immunofluorescence: Serum Response Factor SRF Antibody [NBP1-33063] - Paraformaldehyde-fixed A431, using antibody at 1:500 dilution.




Immunohistochemistry-Paraffin: Serum Response Factor SRF Antibody [NBP1-33063] - Mouse lung SRF dilution: 1:500. Antigen Retrieval: Trilogy™ (EDTA based) buffer, 15min



Western Blot: Serum Response Factor SRF Antibody [NBP1-33063] - Effects of CRA-CM on the expression of SRF, C-fos and CDK2 in SH-SY5Y cells. The expression levels of SRF, C-fos and CDK2 were measured by western blotting and cropped blots are displayed. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/s41598-017-15163-5>), licensed under a CC-BY license.



Immunohistochemistry-Paraffin: Serum Response Factor SRF Antibody [NBP1-33063] - Mouse muscle at a dilution of 1:500. Antigen Retrieval: Trilogy™ (EDTA based) buffer, 15min



Publications

Park J, Lee J, Yeom Z et al. Neuroprotective effect of Ruminococcus albus on oxidatively stressed SH-SY5Y cells and animals Sci Rep. 2017-11-06 [PMID: 29109537] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-33063

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

