Product Datasheet

Glyoxalase II/HAGH Antibody - BSA Free NBP1-33764

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-33764

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-33764



NBP1-33764


Glyoxalase II/HAGH Antibody - BSA Free

Glyoxalase II/TAGT Allibody - DSA Flee	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.	
Polyclonal	
0.01% Thimerosal	
IgG	
Antigen Affinity-purified	
0.1M Tris (pH 7), 0.1M Glycine, 10% Glycerol	
34 kDa	
Rabbit	
3029	
HAGH	
Human, Mouse	
Recombinant protein encompassing a sequence within the center region of human Glyoxalase II/HAGH. The exact sequence is proprietary.	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin	




Images


Western Blot: Glyoxalase II/HAGH Antibody [NBP1-33764] - Whole cell extract (30 ug) was separated by 12% SDS-PAGE, and the membrane was blotted with HAGH antibody diluted at 1:1000. HRP-conjugated antirabbit IgG antibody was used to detect the primary antibody




Immunohistochemistry-Paraffin: Glyoxalase II/HAGH Antibody [NBP1-33764] - Mouse kidney. HAGH antibody [N2C3] diluted at 1:500. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min



Western Blot: Glyoxalase II/HAGH Antibody [NBP1-33764] - Mouse tissue extract (50 ug) was separated by 12% SDS-PAGE, and the membrane was blotted with HAGH antibody diluted at 1:1000. HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Immunohistochemistry-Paraffin: Glyoxalase II/HAGH Antibody [NBP1-33764] - NCI-N87 xenograft, using HAGH antibody at 1:100 dilution. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-33764

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-38502PEP Glyoxalase II/HAGH Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-33764

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

