

Product Datasheet

RUVBL2 Antibody - BSA Free

NBP1-40354

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1 **Publications: 2**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-40354

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-40354



NBP1-40354

RUVBL2 Antibody - BSA Free


Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)

Product Description	
Description	Novus Biologicals Rabbit RUVBL2 Antibody - BSA Free (NBP1-40354) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and IP. Anti-RUVBL2 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10856
Gene Symbol	RUVBL2
Species	Human, Mouse
Immunogen	The immunogen for this product maps to a region between residue 1 and 50 of human RuvB-like 2 using the numbering given in entry NP_006657.1 (GeneID 10856).


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Knockdown Validated
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:500 - 1:2000, Immunocytochemistry/ Immunofluorescence Reported in scientific literature (PMID: 31018511)., Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:500-1:2000, Knockdown Validated Reported in scientific literature (PMID: 31018511).
Application Notes	Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections.

Images

Western Blot: RUVBL2 Antibody [NBP1-40354] - Whole cell lysate from HeLa (5, 15 and 50 mcg for WB; 1 mg for IP, 20% of IP loaded), 293T (T; 50 mcg), and mouse NIH3T3 (M; 50 mcg) cells. Antibodies: Affinity purified rabbit anti-RuvBL2 antibody used for WB at 0.1 mcg/ml (A) and 1 mcg/ml (B) and used for IP at 10 mcg/mg lysate. RuvBL2 was also immunoprecipitated by rabbit anti-RuvBL2 antibody NBP1-40355 which recognizes a downstream epitope.




Immunohistochemistry-Paraffin: RUVBL2 Antibody [NBP1-40354] -
Sample: FFPE section of human breast carcinoma. Antibody: Affinity
purified rabbit anti- RuvBL2 used at a dilution of 1:1,000 (1ug/ml).
Detection: DAB



Immunocytochemistry/ Immunofluorescence: RUVBL2 Antibody [NBP1-40354] - Endogenous RUVBL1 & RUVBL2 colocalize with HA-NP. HeLa cells were transfected with vector control, HA-NP, or HA-VP35. Twenty-four h later, the cells were fixed & processed for immunofluorescence detection of endogenous RUVBL1 or RUVBL2 in the presence of vector control, HA-NP, or HA-VP35. Representative images of (A) endogenous RUVBL1 localization pattern with control vector (top panels), HA-NP (middle panels), or HA-VP35 (bottom panels) & (B) endogenous RUVBL2 localization pattern with control vector (top panels), HA-NP (middle panels), or HA-VP35 (bottom panels) are shown. HA-NP or HA-VP35 (green), RUVBL1/2 (red), & Hoechst 33342 nuclear stain (blue) were visualized by confocal microscopy. Scale bars = 20 μ m. Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/31018511>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Western Blot: RUVBL2 Antibody [NBP1-40354] - RUVBL1/2 do not effect EBOV minigenome activity. (A) Schematic diagram of the EBOV minigenome system. The EBOV minigenome system consists of six plasmids: Four support plasmids encode replication complex components NP, L, VP35, & VP30. The EBOV minigenome plasmid encodes a firefly luciferase reporter gene flanked by the leader & trailer sequences of EBOV, & the plasmid that encodes Renilla luciferase is used for normalization. (B) Minigenome activity upon the knockdown of either RUVBL1, RUVBL2, or in combination. Below are protein levels confirmed by immunoblot. HeLa cells were transfected with 80 nM scrambled siRNA, 30 nM siRNA targeting RUVBL1, or 50 nM siRNA targeting RUVBL2. Twenty-four h after siRNA addition, the minigenome components were transfected. Forty-eight h later, minigenome reporter activity was measured. (C) Overexpression of FLAG-RUVBL1 & HA-RUVBL2 in the EBOV minigenome. HeLa cells were left untransfected, or transfected with vector control (VC), or increasing amounts of FLAG-RUVBL1 (125, 250, & 500 ng) or HA-RUVBL2 (125, 250, & 500 ng). Twenty-four h after exogenous transfection, the minigenome components were transfected. Forty-eight h later, minigenome reporter activity was measured. Data represent mean \pm SEM from one representative experiment (n = 3) of at least three experiments (* p < 0.05). Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/31018511>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Publications

Kiguchi T, Kakihara Y, Yamazaki M et al. Identification and characterization of R2TP in the development of oral squamous cell carcinoma Biochemical and biophysical research communications 2021-02-25 [PMID: 33640610]

Silva B, Pentz R, Figueira AM et al. Identification of RUVBL1 and RUVBL2 as Novel Cellular Interactors of the Ebola Virus Nucleoprotein Viruses 2019-04-23 [PMID: 31018511] (KD, WB, ICC/IF, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-40354

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-40354

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

