Product Datasheet

RBBP4/RbAp48 Antibody (15G12) - Azide and BSA Free NBP1-41202

Unit Size: 100ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-41202

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-41202



NBP1-41202

Application Notes


| RBBP4/RbAp48 Antibody (15G12) - Azide and BSA Free | |
|--|---|
| Product Information | |
| Unit Size | 100ul |
| Concentration | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | 15G12 |
| Preservative | No Preservative |
| Isotype | IgG2a |
| Purity | Protein G purified |
| Buffer | PBS |
| Product Description | |
| Description | Novus Biologicals Mouse RBBP4/RbAp48 Antibody (15G12) - Azide and BSA Free (NBP1-41202) is a monoclonal antibody validated for use in IHC, WB, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Mouse |
| Gene ID | 5928 |
| Gene Symbol | RBBP4 |
| Species | Human, Mouse |
| Reactivity Notes | Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. |
| Specificity/Sensitivity | This antibody will recognize human RbAp48 + RbAp46. |
| Immunogen | The complete coding region (amino acids 1-425) of RbAp48 expressed in E. coli. |
| Product Application Details | |
| Applications | Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation |
| Recommended Dilutions | Western Blot 1:500-1:3000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunoprecipitation 0.2-1 ug/ml, Immunohistochemistry-Paraffin 1:100-1:1000 |
| 4 | |




EMSA. WB: Predicted MW is 47.6 kDa.

Images


Immunocytochemistry/ Immunofluorescence: RBBP4/RbAp48 Antibody (15G12) [NBP1-41202] - RBBP4/RbAp48 antibody [15G12] detects RBBP4/RbAp48 protein at nucleus by immunofluorescent analysis. Sample: HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min.Green: RBBP4/RbAp48 stained by RBBP4/RbAp48 antibody [15G12] (NBP1-41202) diluted at 1:500.Red: beta Tubulin, a cytoskeleton marker, stained by beta Tubulin antibody diluted at 1:1000.Scale bar= 10um.



Immunohistochemistry-Paraffin: RBBP4/RbAp48 Antibody (15G12) [NBP1-41202] - RbAp48 + RbAp46 antibody detects RbAp48 + RbAp46 protein at nucleus by immunohistochemical analysis. Sample: Paraffinembedded human cervical carcinoma. RbAp48 + RbAp46 stained by RbAp48 + RbAp46 antibody diluted at 1:100.




Immunohistochemistry: RBBP4/RbAp48 Antibody (15G12) [NBP1-41202] - Analysis of paraffin-embedded H1299 xenograft, using RbAp48 antibody at 1:200 dilution.



Immunohistochemistry: RBBP4/RbAp48 Antibody (15G12) [NBP1-41202] - Analysis of paraffin-embedded C2C12 xenograft, using RbAp48 antibody at 1:200 dilution.



Western Blot: RBBP4/RbAp48 Antibody (15G12) [NBP1-41202] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with RBBP4/RbAp48 antibody [15G12] (NBP1-41202) diluted at 1:500. The HRP-conjugated anti-mouse IgG antibody was used to detect the primary antibody, and the signal was developed with Trident ECL plus-Enhanced.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-41202

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96778 Mouse IgG2a Isotype Control (M2A)

NBP3-18203 Recombinant Human RBBP4/RbAp48 Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-41202

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

