

Product Datasheet

Rabbit anti-Goat IgA/IgG/IgM (H+L) Secondary Antibody [FITC] NBP1-42108

Unit Size: 1.2 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-42108

Updated 9/26/2021 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-42108



NBP1-42108

Rabbit anti-Goat IgA/IgG/IgM (H+L) Secondary Antibody [FITC]

Product Information	
Unit Size	1.2 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Conjugate	FITC
Purity	Immunogen affinity purified
Buffer	50% glycerol with 0.1 M NaCl, 0.01M sodium phosphate at pH 7.5
Product Description	
Host	Rabbit
Species	Goat
Specificity/Sensitivity	Antibodies were raised in rabbit to goat IgG, IgM and IgA. Specific antibodies were absorbed by incubation with Sepharose-bound goat immunoglobulins. Specific antibodies were eluted by acidic buffer at pH 2.5 followed by neutralisation and dialysis. After repeated binding with immobilized goat immunoglobulins a minimum of 65% protein bound. The purified polyclonal was labeled with fluorescein isothiocyanate isomer I followed by gel-filtration and ion-exchange chromatography to clear unbound conjugate. F/P ratio: 3-5 mol Fluorescein per 1 mol rabbit IgG. Low background fluorescence of normal tissue in contrast to specific staining of sections treated with goat anti-human fibrogen antibodies. No cross reactivity with albumine fractions of goat serum. No cross reactivity with albumine fractions of animal species.
Immunogen	The antibody reacts with the Goat IgG antigen.
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry, Immunohistochemistry-Paraffin



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-42108

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

