

# Product Datasheet

## beta-III Tubulin Antibody (2E9)

### NBP1-42568

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

**Reviews: 1 Publications: 3**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-42568](http://www.novusbio.com/NBP1-42568)

Updated 4/13/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-42568](http://www.novusbio.com/reviews/destination/NBP1-42568)



**NBP1-42568**


beta-III Tubulin Antibody (2E9)

Product Information	
Unit Size	0.1 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	2E9
Preservative	0.03% Sodium Azide
Isotype	IgG1
Purity	Unpurified
Buffer	Ascites
Target Molecular Weight	50 kDa
Product Description	
Host	Mouse
Gene ID	10381
Gene Symbol	TUBB3
Species	Human, Rat
Reactivity Notes	Use in Rat reported in scientific literature (PMID:34246061)
Marker	Neuronal Marker
Immunogen	Full length recombinant human Tubulin Beta 3 expressed in E. coli. [UniProt# Q13509].
Product Application Details	
Applications	Western Blot, Simple Western, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:2000, Simple Western 1:500, Flow Cytometry 1:200-1:400, ELISA 1:10000, Immunohistochemistry reported in scientific literature (PMID 27609227), Immunocytochemistry/ Immunofluorescence 1:200-1:1000
Application Notes	In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See <a href="#">Simple Western Antibody Database</a> for Simple Western validation: Tested in HeLa lysate 1.0 mg/mL, separated by Size, antibody dilution of 1:500, apparent MW was 49 kDa. Separated by Size-Wes, Sally Sue/Peggy Sue.




## Images


Western Blot: beta-III Tubulin Antibody (2E9) [NBP1-42568] - Analysis of Tubulin Beta 3 mouse mAb against (1) HepG2, (2) A549, and (3) Hela cell lysates.




Immunocytochemistry/Immunofluorescence: beta-III Tubulin Antibody (2E9) [NBP1-42568] - Confocal analysis of SHSY5Y cells using Tubulin Beta 3 antibody (NBP1-42568, 1:5). An Alexa Fluor 488-conjugated Goat to mouse IgG was used as secondary antibody (green). Actin filaments were labeled with Alexa Fluor 568 phalloidin (red). DAPI was used to stain the cell nuclei (blue).




Flow Cytometry: beta-III Tubulin Antibody (2E9) [NBP1-42568] - Analysis of A549 cells using anti-Tubulin Beta 3 mAb (green) and negative control (purple).



Immunocytochemistry/Immunofluorescence: beta-III Tubulin Antibody (2E9) [NBP1-42568] - Analysis of PANC-1 cells using Tubulin Beta 3 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



Simple Western: beta-III Tubulin Antibody (2E9) [NBP1-42568] - Lane view shows a specific band for Tubulin Beta 3 in 1.0 mg/ml of HeLa lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.



## Publications

J Park, I Wetzel, I Marriott, D Dréau, C D'Avanzo, DY Kim, RE Tanzi, H Cho A 3D human triculture system modeling neurodegeneration and neuroinflammation in Alzheimer's disease Nat. Neurosci., 2018-06-27;21(7):941-951. 2018-06-27 [PMID: 29950669]

Hou Y, Yang D, Wang X Et Al. Pseudoginsenoside-F11 promotes functional recovery after transient cerebral ischemia by regulating the microglia/macrophage polarization in rats International immunopharmacology 2021-07-07 [PMID: 34246061] (ICC/IF)

Chien My, Chuang Ch, Chern Cm et al. Salvianolic acid A alleviates ischemic brain injury through the inhibition of inflammation and apoptosis and the promotion of neurogenesis in mice. Free Radic. Biol. Med. 2016-09-05 [PMID: 27609227] (IF/IHC)



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-42568**

---

NBP1-42569	HepG2 Whole Cell Lysate
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-42568](http://www.novusbio.com/reviews/submit/NBP1-42568)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

