

# Product Datasheet

## CCL20/MIP-3 alpha Antibody NBP1-42763

Unit Size: 0.1 mg

Store lyophilized antibody at 4C. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-42763](http://www.novusbio.com/NBP1-42763)

Updated 10/30/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-42763](http://www.novusbio.com/reviews/destination/NBP1-42763)



**NBP1-42763**

CCL20/MIP-3 alpha Antibody

**Product Information**

<b>Unit Size</b>	0.1 mg
<b>Concentration</b>	LYOPH mg/ml
<b>Storage</b>	Store lyophilized antibody at 4C. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	No Preservative
<b>Reconstitution Instructions</b>	Reconstitute with 100 ul deionized water.
<b>Isotype</b>	IgG
<b>Purity</b>	IgG purified
<b>Buffer</b>	Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

**Product Description**

<b>Description</b>	CCL20/MIP-3 alpha Antibody was heated to 56C for 30 minutes.
<b>Host</b>	Rabbit
<b>Gene ID</b>	6364
<b>Gene Symbol</b>	CCL20
<b>Species</b>	Human
<b>Specificity/Sensitivity</b>	In ELISA and other immunoreactive assays, this antibody will recognize both native and recombinant human MIP-3a in cell supernatants and certain body fluids. A control of similarly diluted normal rabbit IgG is recommended.
<b>Immunogen</b>	This purified antibody was prepared from whole rabbit serum produced by repeated immunizations with full length recombinant human MIP-3 alpha protein.

**Product Application Details**


<b>Applications</b>	Western Blot, ELISA, Block/Neutralize
<b>Recommended Dilutions</b>	Western Blot 1:500-1:2000, ELISA 1:20000-1:100000, Block/Neutralize
<b>Application Notes</b>	The endotoxin content is estimated to be <10 pg/ul by the LAL method. By western blot a band approximately 11 kDa in size corresponding to native human MIP-3a protein is expected in the appropriate cell lysate or extract.

## Images

Western Blot: CCL20/MIP-3 alpha Antibody [NBP1-42763] - Analysis of a band 26 kDa in size corresponding to recombinant human MIP-3a (lane 1). The identity of the lower molecular weight band is unknown. Molecular weight markers are also shown (M). After transfer, the membrane was blocked overnight with 3% BSA in TBS followed by reaction with primary antibody at a 1:1,000 dilution. Detection occurred using peroxidase conjugated anti-Rabbit IgG secondary antibody diluted 1:40,000 in blocking buffer for 30 min at RT followed by reaction with FemtoMax chemiluminescent substrate.



Western Blot: CCL20/MIP-3 alpha Antibody [NBP1-42763] - Analysis using the Biotin conjugate of NBP1-42763. Detection of Lane 1: Human MIP-3a. Detection of Lane 2: None. Load: 50 ng per lane. Used at a dilution of 1:1000 for 60 min at RT.



## Publications

Ho MF, Bongartz T, Liu M et al. Estrogen, SNP-Dependent Chemokine Expression and Selective Estrogen Receptor Modulator Regulation. Mol. Endocrinol. 2016-03-01 [PMID: 26866883] (WB, Human)

### Details:

B7-H4 antibody was used at a dilution of 1:400 for the IHC-P analysis of tissues from ovarian cancer patients (serous cystadenocarcinoma and mucinous cystadenocarcinoma). The detection was performed using HRP labelled secondary and DAB reagent - see the full text for detailed protocol.



## Novus Biologicals USA

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

## Bio-Techne Canada

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

## Bio-Techne Ltd

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

## General Contact Information

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: [nb-technical@bio-techne.com](mailto:nb-technical@bio-techne.com)  
Orders: [nb-customerservice@bio-techne.com](mailto:nb-customerservice@bio-techne.com)  
General: [novus@novusbio.com](mailto:novus@novusbio.com)

## Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-42763](http://www.novusbio.com/reviews/submit/NBP1-42763)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)