Product Datasheet

MHC class II (I-A/I-E) Antibody (M5/114.15.2) [Allophycocyanin] NBP1-42997-0.1mg

Unit Size: 0.1 mg

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-42997

Updated 5/15/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-42997



NBP1-42997-0.1mg

| MHC class II (I-A/I-E) Antibody (M5/114.15.2) [Allophycocyanin] | |
|---|--|
| Product Information | |
| Unit Size | 0.1 mg |
| Concentration | 0.2 mg/ml |
| Storage | Store at 4C in the dark. |
| Clonality | Monoclonal |
| Clone | M5/114.15.2 |
| Preservative | 0.09% Sodium Azide |
| Isotype | IgG2b Kappa |
| Conjugate | Allophycocyanin |
| Purity | Protein A or G purified |
| Buffer | PBS (pH 7.2) with 0.1% gelatin |
| Product Description | |
| Host | Rat |
| Gene ID | 100504404 |
| Gene Symbol | H2-Ea |
| Species | Human, Mouse |
| Reactivity Notes | Use in Human reported in scientific literature (PMID:29990503). |
| Specificity/Sensitivity | The monoclonal antibody reacts with the mouse major histocompatibility complex class II, both I-A and I-E subregion-encoded glycoproteins (I-A b, I-A d, I-A q, I-E d, I-E k, not I-A f, I-A k, or I-A s). It detects a polymorphic determinant present on B cells, monocytes, macrophages, dendritic cells, and activated T lymphocytes from mice carrying the H-2 b, H-2 d, H-2 q, H-2 p, H-2 r and H-2 u but not from mice carrying the H-2 s or H-2 f haplotypes. The M5/114 mAb is reported to inhibit I-A-restricted T cell responses of the H-2 b, H-2 d, H-2 q, H-2 u but not H-2 f, H-2 k, or H-2 s haplotypes. |
| Immunogen | The immunogen for this antibody was MHC Class II. |
| Product Application Details | |
| Applications | Flow Cytometry |
| Recommended Dilutions | Flow Cytometry 1:10-1:1000 |
| Application Notes | The M5/114.15.2 antibody has been tested by flow cytometric analysis of mouse splenocyte suspensions and can be used at less than or equal to 0.125 ug per test. Call number should be determined empirically but see range from 1005to |




10^8cells/test.

test. Cell number should be determined empirically but can range from 10^5to

Images

Flow Cytometry: MHC Class II Antibody (M5/114.15.2) [Allophycocyanin] [NBP1-42997] - Staining of C57BL/6 splenocytes with Anti-Mouse CD3e FITC and 0.015 micrograms of Rat IgG2b ? Isotype Control APC (left) or 0.015 micrograms of Anti-Mouse MHC Class II (I-A/I-E) APC (right). Cells in the lymphocyte gate were used for analysis.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada 21 Canmotor Ave

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-42997

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

