Product Datasheet

UBE2F/NCE2 Antibody NBP1-44062

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-44062

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-44062



NBP1-44062

UBE2F/NCE2 Antibody

0.1 mg
0.5 mg/ml
Store at -20C. Avoid freeze-thaw cycles.
Polyclonal
0.02% Sodium Azide
IgG
Immunogen affinity purified
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Goat
140739
UBE2F
Human, Mouse
Peptide with sequence C-HLRDKEDFRNKVDD corresponding to C-Terminus according to NP_542409.1.
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Western Blot 0.05 - 0.2 ug/ml, Immunohistochemistry 2.5 - 3.8 ug/ml, Immunohistochemistry-Paraffin 2.5 - 3.8 ug/ml, Peptide ELISA Detection limit 1:32000
WB: Approx. 20 kDa band observed in mouse liver lysates (calculated MW of 21.1 kDa band according to human NP_542409.1 and to mouse NP_080730.1). IHC-P: Human placenta shows membrane staining in trophoblasts



Images

Western Blot: UBE2F/NCE2 Antibody [NBP1-44062] - (0.05ug/ml) Analysis of Mouse Liver lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

250kDa 150kDa 100kDa

75kDa

50kDa


37kDa

25kDa

20kDa

15kDa

Immunohistochemistry-Paraffin: UBE2F/NCE2 Antibody [NBP1-44062] - Staining of Human Placenta shows membrane staining in trophoblasts.



Publications

Huang DT, Ayrault O, Hunt HW et al. E2-RING expansion of the NEDD8 cascade confers specificity to cullin modification. Mol Cell 2009-02-27 [PMID: 19250909]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-44062

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP1-92169PEP UBE2F/NCE2 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-44062

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



