Product Datasheet

SESN2 Antibody Blocking Peptide NBP1-44989PEP

Unit Size: 0.25 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-44989PEP

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-44989PEP



NBP1-44989PEP

SESN2 Antibody Blocking Peptide


_		
Product Information		
Unit Size	0.25 mg	
Concentration	2.5 mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Purity	>85%, by HPLC	
Buffer	Sodium Bicarbonate buffer, pH 8.00 containing up to 10% DMSO	
Product Description		

	esciam Disarsonate same, pri eres semaning up to 1070 Direct
Product Description	
Description	A SESN2 antibody blocking peptide corresponding to amino acids 1 - 55 of human SESN2 GenBank Accession #: AAM922611 Source: Synthetic
Gene ID	83667
Gene Symbol	SESN2
Species	Human

Product Application Details		
Applications	Antibody Competition	
Recommended Dilutions	Antibody Competition	
Application Notes	This peptide is useful as a blocking peptide for NBP1-44989. For further blocking peptide related protocol, click here .	



Western Blot: SESN2 Blocking Peptide [NBP1-44989PEP] - Western Blot of SESN2 Peptide with SESN2 Antibody in DiluObuffer.



Procedures

Antibody Competition protocol for SESN2 Protein (NBP1-44989PEP)

Antibody Competition Protocol for SESN2 Protein (NBP1-44989PEP):

In this assay the antigen binding sites (Fab) of a particular antibody is allowed to bind to homologous antigenic peptide in several hundred molar excess ratio of immunoglobulin to peptide. Since the antigenic peptide has higher affinity for Fab site than the full length native proteins, the antigen binding site is blocked thus antibodies are unable to bind to the specific sites on either native, partial denatured or completely denature antigen on sections, in solution or on membrane blots.

Before starting, standardize the conditions for Western blot, immunoprecipitation or immunohistochemistry using the relevant antibody. Conditions include: volume of antibody used; dilution factor, final volume, incubation time, washing conditions etc. Once conditions have been standardized, repeat the same protocol in duplicate using blocked and unblocked antibody.

Begin the competition assay by preparing the blocked antibody-peptide solution:

- 1. Take the same volume of antibody as previously standardized. Let us assume 10 uL in 15 mL.
- 2. Add approximately 1:200 moles of excess peptide (peptides are generally 2200 dalton). This will be equivalent of approximately 60-70ul of peptide solution (original peptide concentration is 2.5mg/ml).
- 3. Mix 10 uL of antibody with 60-70 uL of peptide and make up the volume to 200 uL using DiluOBuffer.

Compare the above blocked antibody-peptide solution with control antibody:

- 1. Take same amount of antibody as used in the blocked antibody-peptide solution and add 60-70 ul of PBS and make up the volume to 200 ul using DiluOBuffer.
- 2. Once both blocked antibody-peptide solution and the control antibody solution have been made, incubate both solutions at 4 degrees C overnight on a rotating mixer. Centrifuge both tubes at 12,000-14000 xg for 1-2 minute at 4 degrees C. A small amount of precipitate may accumulate in the blocked antibody-peptide solution due to antibody-antigen complex formation. If this occurs, carefully remove the precipitate and use only the supernatant.
- 3. Dilute both solutions in 1X DiluOBuffer to the final dilution volume of 15 mL. The antibody-peptide solution will not give any labeling or will have significantly reduced labeling while the Control Antibody solution should provide standard results.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-44989PEP

NBP1-85029PEP SESN2 Recombinant Protein Antigen

NBP1-32822 Nrf2 Antibody

H00083667-M03 SESN2 Antibody (3B8)

NB200-103 p53 Antibody (PAb 240) - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Peptides and proteins are guaranteed for 3 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-44989PEP

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

