Product Datasheet

Importin4 Antibody - BSA Free NBP1-46166

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-46166

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-46166



NBP1-46166


Importin4 Antibody - BSA Free

Unit Size 100 ul Concentration 1.0 mg/ml Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 79711 Gene Symbol IPO4 Species Human Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative)	Importing Antibody - BOAT ree	
Concentration 1.0 mg/ml Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 79711 Gene Symbol IPO4 Species Human Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Product Information	
Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 79711 Gene Symbol IPO4 Species Human Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Unit Size	100 ul
Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 79711 Gene Symbol IPO4 Species Human Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Concentration	1.0 mg/ml
Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 79711 Gene Symbol IPO4 Species Human Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry-Paraffin 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Storage	Store at 4C. Do not freeze.
Isotype IgG	Clonality	Polyclonal
Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 79711 Gene Symbol IPO4 Species Human Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Preservative	0.09% Sodium Azide
Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 79711 Gene Symbol IPO4 Species Human Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Isotype	IgG
Product Description Host Rabbit Gene ID 79711 Gene Symbol IPO4 Species Human Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Purity	Immunogen affinity purified
Host Gene ID 79711 Gene Symbol IPO4 Species Human The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)
Gene ID Gene Symbol IPO4 Species Human The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Product Description	
Gene Symbol IPO4 Species Human The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Host	Rabbit
Species Human The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Gene ID	79711
Immunogen The immunogen for this product maps to a region between residue 900 and 950 of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Gene Symbol	IPO4
of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID 79711). Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Species	Human
Applications Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative) Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Immunogen	of human Importin 4 using the numbering given in entry NP_078934.3 (GeneID
Western Blot (Negative) Recommended Dilutions Immunohistochemistry 1:1000-1:5000, Immunoprecipitation 5-15 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Product Application Details	
Immunohistochemistry-Paraffin 1:1000-1:5000, Western Blot (Negative) Application Notes Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue	Applications	
	Recommended Dilutions	
	Application Notes	




Images

Immunohistochemistry: Importin4 Antibody [NBP1-46166] - Sample: FFPE section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti-Importin 4 used at a dilution of 1:5,000 (0.2ug/ml) Detection: DAB staining using Immunohistochemistry Accessory Kit.



Immunoprecipitation: Importin4 Antibody [NBP1-46166] - Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-Importin 4 antibody used for IP at 10 mcg/mg lysate. Importin 4 was also immunoprecipitated by rabbit anti-Importin 4 antibody NBP1-46165, which recognizes an upstream epitope.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-46166

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-56986PEP Importin4 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-46166

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

