# **Product Datasheet**

# Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) NBP1-47829

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-47829

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-47829



#### NBP1-47829


Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1F9)

Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9)	
Product Information	
Unit Size	0.1 ml
Concentration	0.7 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI1E9
Preservative	0.02% Sodium Azide
Isotype	lgG2b
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	69.3 kDa
Product Description	
Host	Mouse
Gene ID	4048
Gene Symbol	LTA4H
Species	Human, Mouse, Rat, Canine, Monkey
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Specificity/Sensitivity	This antibody is specific for Homo sapiens leukotriene A4 hydrolase (LTA4H).
Immunogen	Full-length protein expressed in 293T cell transfected with human LTA4H expression vector
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
11_	

# **Recommended Dilutions** Western Blot 1:2000, Immunohistochemistry 1:50, Immunoprecipitation 2-4ug/mg, Immunohistochemistry-Paraffin 1:50

# **Images**

Western Blot: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - Analysis of extracts (35ug) from 9 different cell lines by using anti-Leukotriene A4 hydrolasemonoclonal antibody.







Page 2 of 4 v.20.1 Updated 10/23/2024 Immunohistochemistry-Paraffin: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - Staining of paraffin-embedded prostate tissue using anti-Leukotriene A4 hydrolase mouse monoclonal antibody. Western Blot: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY Leukotriene A4 hydrolase (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-Leukotriene A4 hydrolase. Immunohistochemistry-Paraffin: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - Staining of paraffin-embedded Adenocarcinoma of colon tissue using anti-Leukotriene A4 hydrolase mouse monoclonal antibody. Immunohistochemistry-Paraffin: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - Staining of paraffin-embedded Adenocarcinoma of ovary tissue using anti-Leukotriene A4 hydrolase mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - Staining of paraffin-embedded endometrium tissue using anti-Leukotriene A4 hydrolase mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - Staining of paraffin-embedded Ovary tissue using anti-Leukotriene A4 hydrolase mouse monoclonal antibody.



Immunohistochemistry-Paraffin: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - Staining of paraffin-embedded pancreas tissue using anti-Leukotriene A4 hydrolasemouse monoclonal antibody.



Immunoprecipitation: Leukotriene A4 Hydrolase/LTA4H Antibody (OTI1E9) [NBP1-47829] - Immunoprecipitation of LTA4H by using TrueMab monoclonal anti-LTA4H antibody (Negative control: IP without adding anti-LTA4H antibody). For each experiment, 500ul of DDK tagged LTA4H overexpression lysates (at 1:5 dilution with HEK293T lysate), 2ug of ant-LTA4H antibody and 20ul (0.1mg) of goat anti-mouse conjugated magnetic beads were mixed and incubated overnight. After extensive wash to remove any non-specific binding, the immuno-precipitated products were analyzed with rabbit anti-DDK polyclonal antibody.



#### **Publications**

Nordio L, Bazzocchi C, Genova F et al. Molecular and Immunohistochemical Expression of LTA4H and FXR1 in Canine Oral Melanoma Frontiers in veterinary science 2021-12-13 [PMID: 34966807] (IHC-P, Human)





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP1-47829**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-27231 Mouse IgG2b Isotype Control (MPC-11)

NBP1-90368PEP Leukotriene A4 Hydrolase/LTA4H Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-47829

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

