

Product Datasheet

SRGAP2 Antibody NBP1-49877

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-49877

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-49877




NBP1-49877**SRGAP2 Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	23380
Gene Symbol	SRGAP2
Species	Human
Specificity/Sensitivity	This antibody is expected to recognize isoform a (NP_056141.2).
Immunogen	Peptide with sequence C-KQEDRQTPRSPDST corresponding to internal region according to NP_056141.2.
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Peptide ELISA
Recommended Dilutions	Western Blot 0.1 - 0.3 ug/ml, Immunocytochemistry/ Immunofluorescence 1:10 - 1:2000, Peptide ELISA Detection limit 1:8000
Application Notes	IF: Transfected HEK293 transiently expressing GFP-tagged human srGAP2 with the primary antibody stained in the red channel (Confocal IF). WB: Approx. 124 kDa band observed in HeLa lysate and in rat primary culture cortical neurons at Day 4 (calculated MW of 121 kDa band according to human NP_056141.2, but the rat protein sequence is still provisional).




Images

Western Blot: SRGAP2 Antibody [NBP1-49877] - (0.1ug/ml) staining of Rat Cortical Neuron lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence. Data kindly provided by Ms. Ya-Jing Mi and Dr.Wei-Lin Jin, Institute of Neurosciences, Shanghai Jiao Tong Univer



Immunocytochemistry/Immunofluorescence: SRGAP2 Antibody [NBP1-49877] - HEK293 overexpressing Human srGAP2 and probed with EB09775 at 2.5ug/ml in the right panel. Data kindly provided by Ms. Ya-Jing Mi and Dr.Wei-Lin Jin, Institute of Neurosciences, Shanghai Jiao Tong University.



Publications

Jin J, Smith FD, Stark C et al. Proteomic, functional, and domain-based analysis of in vivo 14-3-3 binding proteins involved in cytoskeletal regulation and cellular organization. Curr Biol 2004-08-14 [PMID: 15324660]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-49877

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
NBP1-89013PEP	SRGAP2 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-49877

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



