Product Datasheet

Cystatin B/Stefin B Antibody (RJMW2E7) NBP1-50686

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-50686

Updated 5/24/2018 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-50686



NBP1-50686

Cystatin B/Stefin B Antibody (RJMW2E7)

Product InformationUnit Size0.1 mgConcentration0.5 mg/mlStorageStore at -20C. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneRJMW2E7Preservative0.01% ThimerosalIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct Description476Gene ID1476Gene SymbolCSTBSpeciesHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplicationsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes human cystatin B. Does not cross-react with cystatin A.	-)) (-	,
Concentration0.5 mg/mlStorageStore at -20C. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneRJMW2E7Preservative0.01% ThimerosalIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct DescriptionHostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplicationsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Product Information	
StorageStore at -20C. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneRJMW2E7Preservative0.01% ThimerosalIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct DescriptionMouseHostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplication NotesWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Unit Size	0.1 mg
ClonalityMonoclonalCloneRJMW2E7Preservative0.01% ThimerosalIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct DescriptionMouseHostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplication NotesWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Concentration	0.5 mg/ml
CloneRJMW2E7Preservative0.01% ThimerosalIsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct DescriptionMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplication NotesWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Storage	Store at -20C. Avoid freeze-thaw cycles.
Preservative0.01% ThimerosalIsotypeIgG1IsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct DescriptionMouseHostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplication NotesWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Clonality	Monoclonal
IsotypeIgG1PurityProtein G purifiedBufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct DescriptionMouseHostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplicationsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Clone	RJMW2E7
PurityProtein G purifiedBufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct DescriptionMouseHostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Preservative	0.01% Thimerosal
BufferPBS (pH 7.2), 0.5% BSA and 30% GlycerolProduct DescriptionHostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Isotype	IgG1
Product DescriptionHostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Purity	Protein G purified
HostMouseGene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsWestern Blot, ImmunohistochemistryApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Buffer	PBS (pH 7.2), 0.5% BSA and 30% Glycerol
Gene ID1476Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Product Description	
Gene SymbolCSTBSpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Host	Mouse
SpeciesHumanImmunogenHuman spleen Cystatin BProduct Application DetailsApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Gene ID	1476
ImmunogenHuman spleen Cystatin BProduct Application DetailsApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Gene Symbol	CSTB
Product Application Details Applications Western Blot, Immunohistochemistry Recommended Dilutions Western Blot, Immunohistochemistry Application Notes Western blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Species	Human
ApplicationsWestern Blot, ImmunohistochemistryRecommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Immunogen	Human spleen Cystatin B
Recommended DilutionsWestern Blot, ImmunohistochemistryApplication NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Product Application Details	
Application NotesWestern blotting (0.5-4 ug/ml) and Immunohistochemistry (10-20 ug/ml). However, the optimal conditions should be determined individually. Recognizes	Applications	Western Blot, Immunohistochemistry
However, the optimal conditions should be determined individually. Recognizes	Recommended Dilutions	Western Blot, Immunohistochemistry
	Application Notes	However, the optimal conditions should be determined individually. Recognizes





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-50686

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

