# **Product Datasheet**

# BST2 Antibody NBP1-52027

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 2** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-52027

Updated 5/31/2019 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-52027



## NBP1-52027

**BST2** Antibody

**Product Information** 

| Unit Size                   | 0.1 mg   |
|-----------------------------|--|
| Concentration               | 0.5 mg/ml  |
| Storage                     | Store at -20C. Avoid freeze-thaw cycles.   |
| Clonality                   | Polyclonal   |
| Preservative                | 0.02% Sodium Azide   |
| Isotype                     | IgG  |
| Purity                      | Immunogen affinity purified  |
| Buffer                      | Tris (pH 7.3), 0.5% BSA  |
| Product Description         |  |
| Host                        | Goat   |
| Gene ID                     | 684  |
| Gene Symbol                 | BST2   |
| Species                     | Human  |
| Immunogen                   | Peptide with sequence C-ELTEAQKGFQD corresponding to internal region according to NP_004326.1.                             |
| Product Application Details |  |
| Applications                | Western Blot, Peptide ELISA  |
| Recommended Dilutions       | Western Blot 1 - 3 ug/ml, Peptide ELISA Detection limit 1:32000  |
| Application Notes           | WB: Approx. 30 kDa band observed in human spleen and testis lysates is reported in scientific literature (PMID: 17940069). |
|                             |  |

### **Publications**

Perez-Caballero D, Zang T, Ebrahimi A et al. Tetherin inhibits HIV-1 release by directly tethering virions to cells. Cell 2009-10-30 [PMID: 19879838]

Rollason R, Korolchuk V, Hamilton C et al. Clathrin-mediated endocytosis of a lipid-raft-associated protein is mediated through a dual tyrosine motif. J Cell Sci 2007-11-01 [PMID: 17940069]





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-52027

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

