

Product Datasheet

FBXO4 Antibody NBP1-52158

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-52158

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-52158



NBP1-52158**FBXO4 Antibody****Product Information**

Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA

Product Description


Host	Goat
Gene ID	26272
Gene Symbol	FBXO4
Species	Human, Mouse, Rat, Bovine
Reactivity Notes	Expected from sequence similarity: Mouse, Rat, Bovine
Specificity/Sensitivity	This antibody is expected to recognize isoform 1 and 2 (NP_036308.1; NP_277019.1).
Immunogen	Peptide with sequence C-EHTSAVNKMFSRH corresponding to internal region according to NP_277019.1.

Product Application Details

Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Western Blot detection limit 1:8000, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA Detection limit 1:8000
Application Notes	Western blot: Preliminary experiments gave an approx 48kDa band in Human Heart ysates after 1ug/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 44.1kDa according to NP_036308.1. The 48kDa band was successfully blocked by incubation with the immunizing peptide IHC: Paraffin embedded Human Tonsil.

Images

Immunohistochemistry-Paraffin: FBXO4 Antibody [NBP1-52158] - 2.5ug/ml staining of paraffin embedded Human Tonsil. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Publications

Barbash O, Zamfirova P, Lin DI et al. Mutations in Fbx4 inhibit dimerization of the SCF(Fbx4) ligase and contribute to cyclin D1 overexpression in human cancer. *Cancer Cell* 2008-07-01 [PMID: 18598945]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-52158

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
H00026272-P01-10ug	Recombinant Human FBXO4 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-52158

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



