# **Product Datasheet**

# NIPBL Antibody NBP1-52168

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-52168

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-52168



### NBP1-52168


NIPBL Antibody

- · · · · · · · · · · · · · · · · ·	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	25836
Gene Symbol	NIPBL
Species	Human
Specificity/Sensitivity	This antibody is expected to recognize both reported isoforms (NP_597677.2; NP_056199.2).
Immunogen	Peptide with sequence C-RPDSPRVKQGDSNK corresponding to internal region according to NP_056199.2.
Product Application Details	
Applications	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 10 ug/ml, Immunohistochemistry-Paraffin 2 ug/ml, Peptide ELISA detection limit 1:32000
Application Notes	IHC: Paraffin embedded Human Kidney. Immunofluorescence: Strong expression of the protein seen in the cytoplasm and nucleus of HeLa cells.




#### **Images**


Immunocytochemistry/Immunofluorescence: NIPBL Antibody [NBP1-52168] - analysis of paraformaldehyde fixed HeLa cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (4ug/ml), showing nuclear and cytoplasmic staining. The nuclear stai



Immunohistochemistry-Paraffin: NIPBL Antibody [NBP1-52168] - (2ug/ml) staining of paraffin embedded Human Kidney. Microwaved antigen retrieval with citrate buffer pH 6, HRP-staining.



Immunohistochemistry-Paraffin: NIPBL Antibody [NBP1-52168] - Negative Control showing staining of paraffin embedded Human Cerebellum, with no primary antibody.



#### **Publications**

Liu J, Zhang Z, Bando M et al. Transcriptional dysregulation in NIPBL and cohesin mutant human cells. PLoS Biol 2009-05-01 [PMID: 19468298]





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### **Products Related to NBP1-52168**

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00025836-Q01-10ug Recombinant Human NIPBL GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-52168

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



