Product Datasheet

Lactate Dehydrogenase C Antibody - BSA Free NBP1-54798

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-54798

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-54798



NBP1-54798

Lactate Dehydrogenase C Antibody - BSA Free


Product Information Unit Size 100 ul Concentration 0.5 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freez cycles. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Affinity purified Buffer PBS, 2% Sucrose Target Molecular Weight 36 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau Host Rabbit			
Concentration0.5 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freez cycles.ClonalityPolyclonalPreservative0.09% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS, 2% SucroseTarget Molecular Weight36 kDaProduct DescriptionThe addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau			
StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freez cycles.ClonalityPolyclonalPreservative0.09% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS, 2% SucroseTarget Molecular Weight36 kDaProduct DescriptionThe addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau			
cycles.ClonalityPolyclonalPreservative0.09% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS, 2% SucroseTarget Molecular Weight36 kDaProduct DescriptionThe addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol mai some downstream antibody applications and should be added with cau			
Preservative0.09% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS, 2% SucroseTarget Molecular Weight36 kDaProduct DescriptionThe addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau	e-thaw		
IsotypeIgGPurityAffinity purifiedBufferPBS, 2% SucroseTarget Molecular Weight36 kDaProduct DescriptionThe addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau			
PurityAffinity purifiedBufferPBS, 2% SucroseTarget Molecular Weight36 kDaProduct DescriptionThe addition of 50% glycerol is optional for those storing this antibody and not aliquoting smaller units. However, please note that glycerol mains some downstream antibody applications and should be added with cause			
Buffer PBS, 2% Sucrose Target Molecular Weight 36 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau			
Target Molecular Weight 36 kDa Product Description The addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau			
Product Description Description The addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau			
Description The addition of 50% glycerol is optional for those storing this antibody a and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau			
and not aliquoting smaller units. However, please note that glycerol ma some downstream antibody applications and should be added with cau	Product Description		
Host Rabbit	y interrupt		
Gene ID 3948			
Gene Symbol LDHC			
Species Human			
Immunogen Synthetic peptides corresponding to LDHC(lactate dehydrogenase C) T peptide sequence was selected from the middle region of LDHC. Peptide sequence IVIVTAGARQQEGETRLALVQRNVAIMKSIIPAIVHYSPDCKILVVSNPV peptide sequence for this immunogen was taken from within the describ region.	le . The		
Product Application Details			
Applications Western Blot			

Recommended Dilutions
Recommended Dilutions

Images

Western Blot: Lactate Dehydrogenase C Antibody [NBP1-54798] -NTERA2 cell lysate, concentration 0.2-1 ug/ml. 40 31 22

Western Blot 1.0 ug/ml



www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-54798

H00003948-P01-10ug	Recombinant Human Lactate Dehydrogenase C GST (N-Term) Protein
NBP2-24891	Rabbit IgG Isotype Control
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-54798

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

