Product Datasheet

58K Golgi Protein Antibody - BSA Free NBP1-54997

Unit Size: 100ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-54997

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-54997



NBP1-54997


58K Golgi Protein Antibody - BSA Free

36K Golgi Flotelli Altibody - BSA Flee	
Product Information	
Unit Size	100ul
Concentration	1 mg/ml
•	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	PBS, 2% Sucrose
Target Molecular Weight	60 kDa
Product Description	
-	The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution.
Host	Rabbit
Gene ID	10841
Gene Symbol	FTCD
Species	Human
Marker	Golgi Apparatus Marker
	Synthetic peptides corresponding to FTCD(formiminotransferase cyclodeaminase) The peptide sequence was selected from the N terminal of FTCD (NP_006648). Peptide sequence FSEGKNQEVIDAISGAITQTPGCVLLDVDAGPSTNRTVYTFVGPPECVVE. The peptide sequence for this immunogen was taken from within the described region.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
	Western Blot 1.0 ug/ml, Immunohistochemistry 4-8 ug/ml, Immunohistochemistry-Paraffin 4-8 ug/ml
Product Application Details Applications Recommended Dilutions	peptide sequence for this immunogen was taken from within the described region. Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1.0 ug/ml, Immunohistochemistry 4-8 ug/ml,



Images

Western Blot: 58K Golgi Protein Antibody [NBP1-54997] - Titration: 1.25ug/ml Positive Control: Fetal liver cell lysate.



Immunohistochemistry-Paraffin: 58K Golgi Protein Antibody [NBP1-54997] - Human Skin Tissue Squamous epithelial cells (Indicated with Arrows), 4-8ug/ml.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-54997

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-86031PEP 58K Golgi Protein Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-54997

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

